

**G. B. FARISS**

DISTRIBUTOR

1025 SUTTER ST., SAN FRANCISCO, 9

PHONE - GRAYSTONE 4 2963

**THE CORNWELL QUALITY TOOLS CO.**

MOGADORE, OHIO

ISSUED AUGUST 15, 1948

**1. Prices Applicable To Items In Catalog No. 25****2. Supplementary List Of Items Not Appearing In Catalog No. 25**

NOTICE—Prices subject to change without notice.

All prices in effect at time of shipment will apply.

**2**

Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
.0015	B	Feeler Stk., $\frac{1}{2}$ "x10'	5.20	47	4B	A	Reamer, $\frac{5}{8}$ " to $1\frac{1}{8}$ "	4.30	108
.002	B	Feeler Stk., $\frac{1}{2}$ "x10'	4.00	47	4H	A	Hammer Hdl.	.47	81
.003	B	Feeler Stk., $\frac{1}{2}$ "x10'	3.60	47	4L	A	Reamer, $\frac{3}{8}$ " to $\frac{3}{4}$ "	7.15	109
.004	B	Feeler Stk., $\frac{1}{2}$ "x10'	2.10	47	5	C	Puller, Wide Jaws	4.00	88
.005	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.85	47	5	C	Puller, Wide and Narrow Jaws	5.50	88
.006	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.85	47	5	B	Valve Lifter Jaw, Pr.	1.25	41
.007	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.85	47	5	A	Pilot Set	12.00	107
.008	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.90	47	5A	A	Reamer, $\frac{11}{32}$ " to $\frac{3}{8}$ "	2.90	106
.009	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.90	47	5B	A	Reamer, $\frac{11}{32}$ " to $\frac{3}{4}$ "	4.45	108
.010	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.90	47	5L	A	Reamer, $\frac{11}{32}$ " to $\frac{3}{4}$ "	7.40	109
.011	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.65	47	6A	A	Reamer, $\frac{5}{16}$ " to $\frac{11}{32}$ "	2.90	106
.012	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.65	47	6B	A	Reamer, .730 to $\frac{11}{32}$ "	4.60	108
.013	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.65	47	6H	A	File, 6" Half Rd.	.61	66
.015	B	Feeler Stk., $\frac{1}{2}$ "x10'	1.65	47	6H	A	Hammer Hdl.	.47	81
.018	B	Feeler Stk., $\frac{1}{2}$ "x10'	2.15	47	6L	A	Reamer, $\frac{3}{4}$ " to $1\frac{1}{8}$ "	7.70	109
.025	B	Feeler Stk., $\frac{1}{2}$ "x10'	2.15	47	6M	A	File, 6" Mill Bastard	.35	66
.040	B	Feeler Stk., $\frac{1}{2}$ "x10'	2.65	47	6R	A	File, 6" rd. Bastard	.35	66
1	B	Valve Lifter Jaw, Pr.	1.00	41	7	A	Reamer Set	32.40	107
1	A	Reamer Set	27.80	107	7A	A	Reamer, $\frac{9}{32}$ " to $\frac{5}{16}$ "	2.90	106
1½"	A	Feeler Blade	.10	47	7B	A	Reamer, $\frac{13}{32}$ " to $\frac{7}{8}$ "	4.80	108
1B	A	Reamer, $\frac{1}{16}$ " to $\frac{1}{2}$ "	3.80	108	7L	A	Reamer, $\frac{23}{32}$ " to $\frac{3}{4}$ "	8.00	109
1L	A	Reamer, $\frac{1}{2}$ " to $\frac{5}{8}$ "	6.60	109	8	A	Reamer Set	52.90	107
1R-10A	A	Soc., Cadillac Rod	.85	20	8A	A	Reamer, $\frac{1}{4}$ " to $\frac{3}{8}$ "	2.90	106
2	B	Valve Lifter Jaw, Pr.	1.00	41	8B	A	Reamer, .860" to $\frac{11}{16}$ "	4.95	108
2	B	Puller	19.25	98	8H	A	File, 8" Half Rd. Bastard	.75	66
2	A	Reamer Set	25.60	107	8H	A	Hammer Hdl.	.47	81
2½"	A	Feeler Blades	.10	47	8L	A	Reamer, $\frac{13}{32}$ " to $\frac{7}{8}$ "	8.00	109
2A	A	Reamer, $\frac{1}{16}$ " to $\frac{1}{8}$ "	2.90	106	8M	A	File, 8" Mill Bastard	.43	66
2B	A	Reamer, $\frac{1}{8}$ " to $\frac{3}{16}$ "	3.95	108	8R	A	File, 8" Rd. Bastard	.43	66
2H	A	Hammer Hdl.	.43	81	9"	A	Feeler Blade	.35	47
2L	A	Reamer, $\frac{3}{16}$ " to $\frac{5}{8}$ "	6.85	109	9B	A	Reamer, .915 to 1"	5.10	108
2R-11	A	Soc., $\frac{11}{16}$ " 8 pt., $\frac{1}{2}$ " dr.	.70	19	9L	A	Reamer, $\frac{7}{8}$ " to $1\frac{1}{8}$ "	8.25	109
2R-12	A	Soc., $\frac{3}{4}$ " 8 pt., $\frac{1}{2}$ " dr.	.70	19	10	C	Puller	5.50	89
2R-13	A	Soc., $\frac{13}{16}$ " 8 pt., $\frac{1}{2}$ " dr.	.90	19	10B	A	Reamer, .985 to $1\frac{1}{8}$ "	5.30	108
2R-14	A	Soc., $\frac{7}{8}$ " 8 pt., $\frac{1}{2}$ " dr.	.95	19	10H	A	File, 10" Half Rd. Bastard	.91	66
2R-16	A	Soc., $\frac{15}{16}$ " 8 pt., $\frac{1}{2}$ " dr.	1.15	19	10L	A	Reamer, $1\frac{1}{8}$ " to 1"	8.50	109
2R-18	A	Soc., 1" 8 pt., $\frac{1}{2}$ " dr.	1.15	19	10M	A	File, 10" Mill Bastard	.56	66
3	B	Offset Jaw, pr.	1.25	41	10R	A	File, 10" Rd. Bastard	.56	66
3	A	Reamer & Pilot Set	41.70	107	11B	A	Reamer, $1\frac{1}{8}$ " to $1\frac{1}{4}$ "	5.45	108
3½"	A	Feeler Blade	.10	47	11L	A	Reamer, 1" to $1\frac{1}{8}$ "	8.80	109
3A	A	Reamer, $\frac{13}{32}$ " to $\frac{1}{8}$ "	2.90	106	12	C	Bar, Screw, Cap Screw	5.00	88
3B	A	Reamer, $\frac{3}{16}$ " to $\frac{5}{8}$ "	4.10	108	12	C	Pr. Wide or Narrow Jaw	3.00	88
3L	A	Reamer, $\frac{5}{8}$ " to $1\frac{1}{8}$ "	7.15	109	12	C	Pr. Stud Jaws	2.00	88
4	B	Puller	65.60	98					
4	A	Pilot Set	14.10	107					
4A	A	Reamer, $\frac{3}{8}$ " to $1\frac{1}{2}$ "	2.90	106					

*There are some changes in the Prices*



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
12A3	C	Complete Puller	13.00	88	63	A	Reamer, 1.251"	3.90	105
12B	A	Reamer, 1 $\frac{1}{8}$ " to 1 $\frac{1}{4}$ "	6.60	108	64	A	Reamer, 1.126"	3.30	105
12H	A	File, 12" Half Rd. Bastard	1.18	66	65	A	Reamer, .750x.751"	2.25	104
12H	A	Hammer Hdl.	.47	81	65+5	A	Reamer, .755x.756"	2.25	104
12L	A	Reamer, 1 $\frac{1}{32}$ " to 1 $\frac{3}{32}$ "	8.80	109	66	A	Reamer, 1.x1.001"	2.80	104
12M	A	File, 12" Mill Bastard	.75	66	66+2	A	Reamer, 1.002x1.003"	2.80	104
12R	A	File, 12" Rd. Bastard	.75	66	66+5	A	Reamer, 1.005x1.006"	2.80	104
13	C	Puller, Hunt	3.00	88	66-A	A	Reamer, 1.001"	3.00	104
13	B	Puller, Armstrong	6.40	98	68	A	Reamer, .8135"	2.50	105
13A	B	Puller	9.65	98	69	A	Reamer, 1.0045"	3.15	105
13A	B	Spec. Puller	11.50	98	70	A	Reamer, .6885"	2.20	105
13B	A	Reamer, 1 $\frac{1}{4}$ " to 1 $\frac{3}{8}$ "	6.90	108	70+5	A	Reamer, .6935"	2.20	104
13L	A	Reamer, 1 $\frac{1}{16}$ " to 1 $\frac{1}{8}$ "	9.05	109	71	A	Reamer, 1.130 "	3.65	105
14B	A	Reamer, 1 $\frac{1}{8}$ " to 1 $\frac{1}{2}$ "	7.25	108	73	A	Reamer, 1.110"	3.65	105
14L	A	Reamer, 1 $\frac{1}{8}$ " to 1 $\frac{1}{4}$ "	10.15	109	74	A	Reamer, .867"	2.65	105
14M	A	File, 14" Mill Bastard	1.07	66	75	A	Reamer, .7353"	2.50	105
15	B	Cotter Key Remover	1.00	99	76	A	Reamer, .990x.991"	2.80	104
15	C	Puller Frame	5.25	88	76+3	A	Reamer, .993x.994"	2.80	104
15	C	Pr. Narrow, Wide, Cap Jaw	3.00	88	76+5	A	Reamer, .995x.996"	2.80	104
15-1	C	Puller	8.25	90	76+10	A	Reamer, 1x1.001"	2.80	104
15-3	C	Puller	13.00	88	76+15	A	Reamer, 1.005x1.006"	2.80	104
15-5	C	Puller	19.50	90	77	A	Reamer, .5625"	1.50	105
15B	A	Reamer, 1 $\frac{1}{2}$ " to 1 $\frac{5}{8}$ "	7.90	108	79P	A	Punch Set	4.00	66
15L	A	Reamer, 1 $\frac{1}{4}$ " to 1 $\frac{3}{8}$ "	11.25	109	82	A	Reamer, .922"	3.00	105
16B	A	Reamer Set	17.15	108	82+10	A	Reamer, .932"	3.00	105
16H	A	Hammer Hdl.	.47	81	83	A	Reamer, 1.0688"	3.75	105
16L	A	Reamer, 1 $\frac{1}{8}$ " to 1 $\frac{1}{2}$ "	12.35	109	84	A	Reamer, .7965"	2.50	105
16M	A	File, 16" Mill Bastard	1.47	66	85	A	Reamer, .751"	2.50	104
17B	A	Reamer Set	36.65	108	86	A	Reamer, .860"	2.60	104
17L	A	Reamer, 1 $\frac{1}{2}$ " to 1 $\frac{5}{8}$ "	13.45	109	87	A	Reamer, .876"	2.65	105
18	C	Puller	11.00	89	88	C	Bar, Screw, Cap Screw	5.50	92
19L	A	Reamer Set	47.65	109	88	C	Puller Jaws, Pr.	3.00	92
20	C	Puller	11.00	93	88	C	Bearing Cup Jaws, Pr., w/lock clmp.	5.00	92
22AG	C	Tap and Die Set	9.20	79	88	C	Housing Bar	2.00	92
24H	A	Hammer Hdl.	.50	81	88	A	Reamer, .866"	2.65	104
25L	A	Reamer 1 $\frac{1}{4}$ "	1.35	109	88-3	C	Puller, Complete	18.50	92
26L	A	Reamer, 1 $\frac{1}{4}$ "	1.35	109	88+5	A	Reamer, .871"	2.65	104
27L	A	Reamer, .277"	1.35	109	95	C	Puller	8.50	91
28L	A	Reamer, 1 $\frac{1}{32}$ "	1.35	109	95	C	Housing Bar	.75	91
29L	A	Reamer, 1 $\frac{1}{16}$ "	1.35	109	97	C	Puller	16.50	91
29LA	A	Reamer, 1 $\frac{1}{4}$ "	1.35	109	97	C	Jaws	3.00	91
29LB	A	Reamer, 3 $\frac{1}{8}$ "	1.50	109	97	C	Block Bar	2.50	91
29LC	A	Reamer, 1 $\frac{1}{16}$ "	1.60	109	97-3	C	Puller	22.00	91
30	C	Puller	16.00	93	101-C	C	Puller with Jaws	40.00	93
30L	A	Reamer, 1 $\frac{1}{2}$ "	1.90	109	101-C	C	Puller with Inner Jaws	30.00	93
31L	A	Reamer, 3 $\frac{1}{8}$ "	2.10	109	101	C	Cap Screw Jaws, Pr.	10.00	93
32	C	Puller	22.00	89	101-A	C	Puller	25.00	93
32H	A	Hammer Hdl.	.50	81	102	C	Hammer Hd. Cap	1.20	69
32L	A	Reamer, 5 $\frac{1}{8}$ "	2.25	109	103	C	Puller	40.00	89
35L	A	Reamer, 1 $\frac{1}{4}$ "x1 $\frac{1}{8}$ "	1.90	109	103	C	Hammer Hd. Cap Plug	.90	69
36L	A	Reamer, 5 $\frac{1}{16}$ "x1 $\frac{1}{8}$ "	2.00	109	104	C	Hammer Hd. Cap Screw	.60	69
37L	A	Reamer, 3 $\frac{1}{8}$ "x1 $\frac{1}{8}$ "	2.00	109	105	C	Puller	13.00	92
40H	A	Hammer Hdl.	.50	81	105	C	Puller less bar	11.00	92
46AG	C	Tap and Die Set	16.30	79	106	C	Piston Cap	3.05	69
48H	A	Hammer Hdl.	.50	81	107	C	Piston Cap Spring	.30	69
					108	C	Rbr. Coated Valve	.55	69
					109	C	Air Inlet Valve Spring	.20	69
					110	C	Air Valve Body	1.15	69
					111	C	Air Valve Body Screw	.25	69



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
111	C	Puller	23.00	94	203	A	Shim Set	.25	100
113	C	Air Valve Lever	.30	69	205	A	Hone Set	3.25	100
114	C	Air Valve Lever Cap	.55	69	206	A	Hone Set	3.50	100
114A	C	Hose Coupler	1.10	68	207	A	Hone Set	3.75	100
114C	C	Coupler Complete with Nipple	1.40	68	307	C	Pliers, 7" Battery	1.30	52
114N	C	Nipple	.35	68	337	C	Pliers, 7" Diagonal	2.00	53
115	C	Air Valve Spring	.25	69	384	A	Extension Shank Set	4.55	106
116	C	Washer for Body Screw	.10	69	385	A	Extension Shank, $\frac{1}{4}$ " to $\frac{9}{32}$ "	.65	106
117	C	Washer for Hd. Clamp Bolt	.10	69	386	A	Extension Shank, $\frac{9}{32}$ " to $\frac{5}{16}$ "	.65	106
118	C	Hd. Clamp Bolt	1.05	69	387	A	Extension Shank, $\frac{1}{8}$ " to $\frac{11}{32}$ "	.65	106
119	C	Nut	.45	69	388	A	Extension Shank, $\frac{11}{32}$ " to $\frac{3}{8}$ "	.65	106
120	C	Washer	.30	69	389	A	Extension Shank, $\frac{3}{8}$ " to $\frac{13}{32}$ "	.65	106
122	C	Arm with Stud	13.50	69	390	A	Extension Shank, $\frac{13}{32}$ " to $\frac{1}{2}$ "	.65	107
124	C	Adaptor	2.70	69	391	A	Extension Shank, $\frac{1}{2}$ " to $\frac{13}{16}$ "	.65	106
125	C	Plunger complete	4.35	69	394	A	Reamer Set	26.35	107
126	C	Spring	.15	69	395	A	Reamer, $\frac{1}{4}$ " to $\frac{9}{32}$ "	3.55	107
127	C	Washer	.30	69	396	A	Reamer, $\frac{9}{32}$ " to $\frac{5}{16}$ "	3.55	107
128	C	Screw	.10	69	397	A	Reamer, $\frac{5}{16}$ " to $\frac{11}{32}$ "	3.55	107
129	C	Washer	.10	69	398	A	Reamer, $\frac{11}{32}$ " to $\frac{3}{8}$ "	3.55	107
130	C	Washer	.30	69	399	A	Reamer, $\frac{3}{8}$ " to $\frac{13}{32}$ "	3.55	107
130	A	Mic. Gauge	4.95	102	400	A	Reamer, $\frac{13}{32}$ " to $\frac{7}{16}$ "	3.55	107
131	A	Mic. Gauge	5.25	102	401	A	Reamer, $\frac{7}{16}$ " to $\frac{15}{32}$ "	3.55	107
131	C	Bead Dolly	2.60	68	406	D	File Holder	1.10	70
132	C	Dolly	3.45	68	407	D	Pliers, 7"	2.00	53
133	C	Dolly	3.45	68	410	D	Plier, $9\frac{1}{2}$ " General Utility	2.75	52
134	C	Pin	.10	69	414	D	File Holder	2.15	70
135	C	Washer	.10	69	420	D	Plier, $9\frac{1}{2}$ " Pump	2.50	52
136	C	Large Arm	12.20	69	424	D	Pliers, 7" Ignition	1.60	53
137	C	Complete 134 and 125	7.05	69	437	C	Pliers, $9\frac{1}{2}$ " Diagonal	2.80	52
150G	C	Dinging Hammer	2.70	71	516		Plier	Disc.	25
151		Set Tools Only	156.20	24	612	D	File Holder	1.20	70
151		Set with Boxes	190.10	24	800	C	Ford Sleeve Set	31.50	90
151G	C	Dinging Hammer	2.70	71	834	C	Solder Paddle	.70	73
155	C	Fender Bumper	2.70	72	848	A	Drvr. #875 Set	.20	103
156G	C	Finishing Hammer	2.70	72	849	A	Drvr. #875 Set	.20	103
156GB	C	Curved Finish Hammer	2.70	72	850	A	Drvr. #875 Set	.20	103
158G	C	Finishing Hammer	2.70	72	851	A	Drvr. #875 Set	.20	103
160G	C	Bumping Hammer	2.20	71	852	A	Drvr. #875 Set	.20	103
161G	C	Dinging Hammer	2.20	71	853	A	Drvr. #875 Set	.20	103
164G	C	Utility Hammer	2.35	72	853-A	A	Drvr. #875 Set	.25	103
171	A	Ridge Reamer, $2\frac{3}{16}$ " to $3\frac{3}{16}$ "	7.55	102	854	A	Drvr. #875 Set	.25	103
173	A	Ridge Reamer, $2\frac{1}{8}$ " to $4\frac{1}{8}$ "	9.75	102	855	A	Drvr. #875 Set	.25	103
173A	A	Ridge Reamer, $2\frac{1}{8}$ " to $3\frac{3}{4}$ "	7.55	102	856	A	Drvr. #875 Set	.25	103
173B	A	Ridge Reamer, 3" to $4\frac{3}{16}$ "	7.55	102	857	A	Drvr. #875 Set	.25	103
174	A	Ridge Reamer, $4\frac{7}{8}$ " to $6\frac{1}{16}$ "	15.00	102	858	A	Drvr. #875 Set	.25	103
178	A	#174 Blades	3.00	102	859	A	Drvr. #875 Set	.30	103
178	A	#174 Strips and Screws	.35	102	860	A	Drvr. #875 Set	.30	103
178	A	#174 Filler Strips	.35	102	861	A	Drvr. #875 Set	.30	103
179	A	Spec. #174 Blades	3.50	102	862	A	Drvr. #875 Set	.30	103
180	A	Blades 171, 173, 173A, 173B	2.20	102	863	A	Drvr. #875 Set	.30	103
180	A	Strips and Filler	.30	102	864	A	#1 Retaining Body	.35	103
180	A	Box 171, 173, 173A, 173B	1.00	102	865	A	#2 Retaining Body	.45	103
200	A	Honing Set	12.90	100	866	A	#3 Retaining Body	.50	103
200	C	Puller, 20" Arm	75.00	92	867	A	#1 and #2 Retaining Nut	.20	103
200	C	Puller, 26" Arm	90.00	92	868	A	#3 Retaining Nut	.25	103
201	A	200 Hone Coarse Abrasive	doz. 1.00	100	875	A	Bushing Drvr. Set	5.00	103
201F	A	200 Hone Fine Abrasive	doz. 1.00	100	876	A	Brake Hone, $\frac{3}{4}$ " to $1\frac{1}{8}$ "	6.50	101
202	A	Burnisher Set	3.00	100	876BD	A	Brake Hone Body	2.00	101



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
876BS	A	Brake Hone Body	2.00	101	1058	C	Toe Dolly	2.65	75
877	A	Brake Hone Set, 1 $\frac{1}{8}$ " to 1 $\frac{1}{2}$ "	5.30	101	1059	C	Heel Dolly	2.45	75
877B	A	Brake Hone Body	2.60	101	1060	C	Gen. Purpose Dolly	3.75	75
878	A	Brake Hone Set, 1 $\frac{1}{2}$ " to 1 $\frac{7}{8}$ "	6.50	101	1061	C	Utility Dolly	3.05	75
878B	A	Brake Hone Body	4.00	101	1067	C	Wedge Dolly	3.05	75
879	A	Brake Hone Set, 1 $\frac{7}{8}$ " to 2 $\frac{1}{4}$ "	9.25	101	1068	C	Low Crown Dolly	3.05	75
879B	A	Brake Hone Body	5.00	101	1070	C	Heavy Duty Dolly	4.50	75
880	A	Brake Hone Set, 2 $\frac{1}{4}$ " to 2 $\frac{5}{8}$ "	10.50	101	1072	C	Deep Moulding Plier	3.05	74
880B	A	Brake Hone Body	6.25	101	1073	C	Fender Flange Plier	2.05	74
896	A	Set 3 Small Blades	.60	101	1150	C	File Hldr.	4.05	74
897	A	Set 3 Medium Blades	.60	101	1207	D	File Hldr.	.80	70
898	A	Set 3 Large Blades	.60	101	1223	D	Reamer, $\frac{1}{2}$ "	8.30	103
899C	A	#925 Hone Abrasive	.90	101	1224	D	Reamer, $\frac{3}{8}$ "	8.30	103
899F	A	#925 Hone Abrasive	.90	101	1225	D	Reamer, $\frac{5}{8}$ "	8.30	103
912	D	File Holder	1.10	70	1227	D	Reamer, $1\frac{1}{8}$ "	9.05	103
920	A	#925 Hone Shaft	2.50	101	1228	D	Reamer, .730"	9.85	103
925	A	Brake Hone Set	15.80	101	1229	D	Reamer, $\frac{1}{4}$ "	9.85	103
1000	A	Reamer, $\frac{5}{16}$ "	1.25	104	1230	D	Reamer, .740"	9.85	103
1001	B	Puller	9.50	96	1231	D	Reamer, $\frac{3}{4}$ "	9.85	103
1001	A	Reamer, $\frac{3}{4}$ "	1.25	104	1232	D	Reamer, $\frac{5}{4}$ "	10.65	103
1001A	B	Puller	11.25	96	1233	D	Reamer, $1\frac{1}{8}$ "	10.65	103
1002	B	Puller	17.50	96	1234	D	Reamer, $\frac{3}{16}$ "	11.10	103
1002	A	Reamer, $1\frac{1}{16}$ "	1.25	104	1235	D	Reamer, .850"	11.60	103
1002A	B	Puller	20.05	96	1236	D	Reamer, .855"	11.60	103
1002A	A	Reamer, $\frac{3}{4}$ "	1.35	104	1237	D	Reamer, $\frac{5}{16}$ "	11.60	103
1003	B	Puller	28.45	96	1238	D	Reamer, .865"	11.60	103
1003	A	Reamer, $\frac{3}{8}$ "	1.35	104	1239	D	Reamer, $\frac{7}{8}$ "	11.60	103
1003A	B	Puller	32.35	96	1240	D	Reamer, .917"	12.45	103
1003 $\frac{1}{2}$	B	Puller	41.20	96	1241	D	Reamer, $1\frac{1}{8}$ "	12.45	103
1003 $\frac{1}{2}$ A	B	Puller	62.95	96	1242	D	Reamer, $\frac{3}{16}$ "	12.95	103
1004	B	Puller	56.10	96	1243	D	Reamer, $\frac{5}{16}$ "	13.45	103
1004	A	Reamer, $\frac{3}{16}$ "	1.35	104	1244	D	Reamer, .990"	13.45	103
1004A	B	Puller	64.15	96	1245	D	Reamer, 1"	13.45	103
1005	A	Reamer, $\frac{1}{16}$ "	1.35	104	1247	D	Reamer, $1\frac{1}{16}$ "	14.35	103
1005A	A	Reamer, $\frac{3}{16}$ "	1.35	104	1248	D	Reamer, $1\frac{3}{16}$ "	14.80	103
1006	A	Reamer, $\frac{7}{16}$ "	1.50	104	1249	D	Reamer, $1\frac{1}{8}$ "	15.25	103
1007	A	Reamer, $\frac{3}{4}$ "	1.50	104	1250	D	Reamer, $1\frac{5}{16}$ "	16.15	103
1007A	A	Reamer, $\frac{1}{16}$ "	1.50	104	1251	D	Reamer, $1\frac{7}{16}$ "	16.80	103
1007B	A	Reamer, $\frac{3}{16}$ "	1.50	104	1252	D	Reamer, $1\frac{1}{2}$ "	17.35	103
1008	A	Reamer, $\frac{1}{2}$ "	1.50	104	1255	D	Reamer, $1\frac{1}{4}$ "	17.90	103
1009	A	Reamer, $\frac{3}{4}$ "	1.50	104	1256	D	Reamer, $1\frac{5}{16}$ "	19.00	103
1012	D	File Holder	1.10	70	1257	D	Reamer, $1\frac{3}{8}$ "	20.90	103
1031	B	Puller	13.85	97	1258	D	Reamer, $1\frac{7}{16}$ "	22.75	103
1031A	B	Puller	16.40	97	1259	D	Reamer, $1\frac{1}{4}$ "	24.55	103
1032	B	Puller	23.70	97	1260	D	Reamer, $1\frac{1}{2}$ "	24.55	103
1032A	B	Puller	27.40	97	1262	D	Reamer, $1\frac{5}{8}$ "	26.90	103
1033	B	Puller	37.65	97	1264	D	Reamer, $1\frac{3}{4}$ "	28.80	103
1033A	B	Puller	42.30	97	1266	D	Reamer, $1\frac{7}{8}$ "	30.60	103
1033 $\frac{1}{2}$	B	Puller	55.40	97	1267	D	Reamer, $1\frac{1}{2}$ "	31.95	103
1033 $\frac{1}{2}$ A	B	Puller	66.95	97	1268	D	Reamer, 2"	32.90	103
1034	B	Puller	74.05	97	5110	D	Tap and Die Set	50.00	80
1034A	B	Puller	86.10	97	5120	D	Tap and Die Set	86.00	80
1036	C	Dinging Spoon	1.90	73	6363	C	Pr. Stems and Hose Clamps	.55	68
1045	C	Turret Top Spoon	2.70	73	10300	C	Pinion Puller	10.80	99
1050	C	Comb. Spoon	2.70	73	10350	C	Ford Sleeve Set	30.00	99
1052	C	Spoon Dolly	2.70	73	10350C	C	Cutter Only	2.20	99
1054	C	Curved Spoon	1.90	73	A	A	Pilot	1.50	106
1055	C	File Hldr.	1.45	74	A	A	Reamer, $\frac{1}{16}$ " to $\frac{1}{4}$ "	2.90	106
					A	A	Reamer and Pilot	4.40	106



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
A-7	A	Reamer Set	21.80	107	BW-24	A	Lg. Bx. Wr. $\frac{9}{16}$ "x $\frac{5}{8}$ "	1.25	34
A-200	B	Valve Lifter	7.50	41	BW-26	A	Lg. Bx. Wr. $\frac{5}{8}$ "x $\frac{11}{16}$ "	1.30	34
AD-2	C	Axle Rethreading Die	6.95	66	BW-28	A	Lg. Bx. Wr. $\frac{5}{8}$ "x $\frac{3}{4}$ "	1.40	34
AJ-4C	C	Adj. Wrench	1.55	36	BW-30	A	Lg. Bx. Wr. $\frac{5}{8}$ "x $\frac{3}{4}$ "	1.50	34
AJ-6C	C	Adj. Wrench	1.55	36	BW-32	A	Lg. Bx. Wr. $\frac{11}{16}$ "x $\frac{3}{4}$ "	1.55	34
AJ-8C	C	Adj. Wrench	1.80	36	BW-34	A	Lg. Bx. Wr. $\frac{3}{4}$ "x $\frac{3}{8}$ "	1.55	34
AJ-10C	C	Adj. Wrench	2.30	36	BW-36	A	Lg. Bx. Wr. $\frac{3}{4}$ "x $\frac{11}{16}$ "	1.55	34
AJ-12C	C	Adj. Wrench	3.40	36	BW-38	A	Lg. Bx. Wr. $\frac{3}{4}$ "x $\frac{7}{8}$ "	1.70	34
AJ-15	C	Adj. Wrench	5.50	36	BW-39	A	Lg. Bx. Wr. $\frac{7}{8}$ "x $\frac{3}{8}$ "	1.70	34
AW-2	A	Angle Wr. $\frac{3}{8}$ "x $\frac{3}{8}$ "	.75	28	BW-40	A	Lg. Bx. Wr. $\frac{11}{16}$ "x $\frac{7}{8}$ "	1.80	34
AW-4	A	Angle Wr. $\frac{7}{16}$ "x $\frac{7}{16}$ "	.80	28	BW-44	A	Lg. Bx. Wr. $\frac{11}{16}$ "x1"	2.15	34
AW-6	A	Angle Wr. $\frac{1}{2}$ "x $\frac{1}{2}$ "	.95	28	BW-46	A	Lg. Bx. Wr. $\frac{11}{16}$ "x1 $\frac{1}{4}$ "	2.20	34
AW-8	A	Angle Wr. $\frac{9}{16}$ "x $\frac{9}{16}$ "	1.00	28	BW-48	A	Lg. Bx. Wr. 1 $\frac{1}{16}$ "x1 $\frac{1}{8}$ "	2.60	34
AW-10	A	Angle Wr. $\frac{5}{8}$ "x $\frac{5}{8}$ "	1.10	28	BW-49	A	Lg. Bx. Wr. 1 $\frac{1}{16}$ "x1 $\frac{1}{4}$ "	2.70	34
AW-12	A	Angle Wr. $\frac{11}{16}$ "x $\frac{11}{16}$ "	1.10	28	BW-53	A	Lg. Bx. Wr. 1 $\frac{1}{8}$ "x1 $\frac{1}{8}$ "	2.65	34
AW-14	A	Angle Wr. $\frac{3}{4}$ "x $\frac{3}{4}$ "	1.10	28	BW-56	A	Lg. Bx. Wr. 1 $\frac{1}{8}$ "x1 $\frac{1}{2}$ "	3.80	34
AW-16	A	Angle Wr. $\frac{13}{16}$ "x $\frac{13}{16}$ "	1.25	28	BW-62	A	Half-Moon Bx. Wr. $\frac{7}{16}$ "x $\frac{1}{2}$ "	1.40	35
AW-18	A	Angle Wr. $\frac{7}{8}$ "x $\frac{7}{8}$ "	1.25	28	BW-64	A	Half-Moon Bx. Wr. $\frac{1}{2}$ "x $\frac{7}{16}$ "	1.45	35
AW-20	A	Angle Wr. $\frac{15}{16}$ "x $\frac{15}{16}$ "	1.25	28	BW-66	A	Half-Moon Bx. Wr. $\frac{9}{16}$ "x $\frac{5}{8}$ "	1.50	35
AW-22	A	Angle Wr. 1"x1"	1.50	28	BW-67	A	Half-Moon Bx. Wr. $\frac{5}{8}$ "x $\frac{3}{4}$ "	1.75	35
AW-24	A	Angle Wr. 1 $\frac{1}{16}$ "x1 $\frac{1}{16}$ "	1.55	28	BW-69	A	Ford Brake Wr., $\frac{7}{16}$ "x $\frac{1}{2}$ "	1.75	39
AW-32	A	Brake Wr. $\frac{3}{16}$ "x $\frac{1}{4}$ "	1.25	39	BW-90	A	Brake Wr., $\frac{9}{16}$ "	1.60	36
AW-34	A	Brake Wr. $\frac{5}{16}$ "x $\frac{3}{8}$ "	1.25	39	BW-92	A	Brake Wr., $\frac{1}{2}$ "	1.60	36
AW-36	A	Brake Wr. $\frac{7}{16}$ "x $\frac{3}{4}$ "	1.25	28	BW-94	A	Starting Mtr. Wr., $\frac{5}{8}$ "	1.60	36
AW-40	A	Brake Wr. $\frac{11}{16}$ "x $\frac{13}{16}$ "	1.25	28	C	A	Pilot	1.50	106
AW-42	A	Brake Wr. $\frac{3}{4}$ "x $\frac{7}{8}$ "	1.25	28	C	A	Reamer, $\frac{11}{16}$ "x $\frac{3}{16}$ "	3.10	106
AW-50	A	Angle Wr. 1 $\frac{1}{8}$ "x1 $\frac{1}{8}$ "	2.35	28	C	A	Reamer and Pilot	4.60	106
AW-52	A	Angle Wr. 1 $\frac{1}{4}$ "x1 $\frac{1}{4}$ "	2.50	28	CC-2	A	Cape Chisel, $\frac{5}{16}$ "x4 $\frac{1}{4}$ "	.45	60
AW-54	A	Angle Wr. 1 $\frac{3}{8}$ "x1 $\frac{3}{8}$ "	2.80	28	CC-4	A	Cape Chisel, $\frac{5}{16}$ "x5 $\frac{1}{2}$ "	.50	60
AW-56	A	Angle Wr. 1 $\frac{7}{8}$ "x1 $\frac{7}{8}$ "	2.90	28	CC-6	A	Cape Chisel, $\frac{5}{8}$ "x6"	.55	60
AW-58	A	Angle Wr. 1 $\frac{1}{2}$ "x1 $\frac{1}{2}$ "	3.00	28	CC-8	A	Cape Chisel, $\frac{1}{2}$ "x6 $\frac{3}{4}$ "	.65	60
AW-65	A	Caster Adj. Wr. 1 $\frac{1}{32}$ "	1.15	28	CC-10	A	Cape Chisel, $\frac{5}{8}$ "x7 $\frac{1}{2}$ "	.85	60
AW-82	A	Right Angle Wr. $\frac{1}{2}$ "x $\frac{5}{16}$ "	1.00	28	CC-12	A	Cape Chisel, $\frac{5}{8}$ "x11"	1.15	60
B	A	Pilot	1.50	106	CD-3	D	Clutch Hd. Screw Drvr., $\frac{3}{32}$ "	.60	57
B	A	Reamer, $\frac{11}{16}$ "x $\frac{1}{32}$ "	2.90	106	CD-5	D	Clutch Hd. Screw Drvr., $\frac{1}{8}$ "	.60	57
B	A	Reamer and Pilot	4.40	106	CD-7	D	Clutch Hd. Screw Drvr., $\frac{5}{32}$ "	.65	57
B-300	B	Valve Spring Compressor	8.50	41	CD-9	D	Clutch Hd. Screw Drvr., $\frac{3}{16}$ "	.65	57
BC-6	A	Crowfoot Bx. Wr. $\frac{1}{2}$ "	1.50	20	CD-11	D	Clutch Hd. Screw Drvr., $\frac{1}{4}$ "	.80	57
BC-8	A	Crowfoot Bx. Wr. $\frac{9}{16}$ "	1.50	20	CD-13	D	Clutch Hd. Screw Drvr., $\frac{9}{32}$ "	.80	57
BC-10	A	Crowfoot Bx. Wr. $\frac{5}{8}$ "	1.50	20	CD-15	D	Clutch Hd. Screw Drvr., $\frac{5}{16}$ "	1.00	57
BC-12	A	Crowfoot Bx. Wr. 1 $\frac{1}{16}$ "	1.60	20	CD-17	D	Clutch Hd. Screw Drvr., $\frac{3}{8}$ "	.60	57
BC-14	A	Crowfoot Bx. Wr. $\frac{3}{4}$ "	1.65	20	CD-19	D	Clutch Hd. Screw Drvr., $\frac{1}{8}$ "	.60	57
BP-8	A	Shackle Bolt Remover	1.15	65	CD-21	D	Clutch Hd. Screw Drvr., $\frac{5}{16}$ "	.70	57
BP-12	A	Shackle Bolt Remover	1.50	65	CD-23	D	Clutch Hd. Screw Drvr., $\frac{1}{8}$ "	.70	57
BP-16	A	Shackle Bolt Remover	1.75	65	CD-25	D	Clutch Hd. Screw Drvr., $\frac{1}{4}$ "	.70	57
BR-1	A	Hub Bolt Riveter, $\frac{7}{16}$ "	1.15	65	VT-111	B	Valve Lifter	7.00	42
BR-2	A	Hub Bolt Riveter, $\frac{1}{2}$ "	1.15	65	CF-21P	C	Straight Jaws	1.00	42
BR-3	A	Hub Bolt Riveter, $\frac{9}{16}$ "	1.15	65	CF-22P	C	Offset Jaws	1.00	42
BR-5	A	Hub Bolt Riveter, $\frac{3}{4}$ "	1.45	65	CG-1	B	Caster and Camber Gauge	15.00	67
BR-7	A	Hub Bolt Riveter, $\frac{5}{8}$ "	1.75	65	CH-1	C	Hyd. Brake Cyl. Cleaner	3.25	38
BW-3	A	Short Bx. Wr. $\frac{3}{8}$ "x $\frac{7}{16}$ "	.85	34	CH-2	C	Hyd. Brake Cyl. Cleaner	3.50	38
BW-5	A	Short Bx. Wr. $\frac{7}{16}$ "x $\frac{1}{2}$ "	.90	34	CH-3	C	Replacement Hd. CH-1	1.25	38
BW-7	A	Short Bx. Wr. $\frac{1}{2}$ "x $\frac{5}{16}$ "	.95	34	CH-4	C	Replacement Hd. CH-2	1.40	38
BW-9	A	Short Bx. Wr. $\frac{9}{16}$ "x $\frac{5}{8}$ "	1.05	34	CH-5	C	Cleaner and Polisher Set	6.25	38
BW-11	A	Short Bx. Wr. $\frac{5}{8}$ "x $\frac{3}{4}$ "	1.25	34	CK-2	A	Chisel and Punch Set, tools	2.05	62
BW-15	A	Short Bx. Wr. $\frac{11}{16}$ "x $\frac{3}{4}$ "	1.30	34	CK-2K	A	Kit only for above	.15	62
BW-18	A	Lg. Bx. Wr. $\frac{3}{8}$ "x $\frac{7}{16}$ "	1.10	34	CK-2S	A	Tools with kit	2.20	62
BW-20	A	Lg. Bx. Wr. $\frac{7}{16}$ "x $\frac{1}{2}$ "	1.15	34					
BW-22	A	Lg. Bx. Wr. $\frac{1}{2}$ "x $\frac{9}{16}$ "	1.20	34					



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
CK-4	A	Chisels, tools only	3.90	60	D-60	C	1/4-20 Rd. Adj. Die	1.70	80
CK-4K	A	Kit only for above	.30	60	D-65	C	5/16-18 Rd. Adj. Die	1.70	80
CK-4S	A	Chisels with kit	4.20	60	D-70	C	3/8-16 Rd. Adj. Die	1.70	80
CK-7	A	Chisel and Punch Set, tools	4.95	63	D-75	C	1/8-14 Rd. Adj. Die	2.80	80
CK-7K	A	Kit only for above	.60	63	D-80	C	1/2-13 Rd. Adj. Die	2.80	80
CK-7S	A	Tools with kit	5.55	63	D-85	C	5/16-12 Rd. Adj. Die	2.80	80
CK-8	A	Chisel and Punch Set, tools	7.30	63	D-90	C	5/8-11 Rd. Adj. Die	2.80	80
CK-8K	A	Kit only for above	.80	63	D-95	C	3/4-10 Rd. Adj. Die	2.80	80
CK-8S	A	Tools with kit	8.10	63	D-100	C	7/8-9 Rd. Adj. Die	4.50	80
CK-10	A	Chisel and Punch Set, tools	11.45	63	D-105	C	1/4-8 Rd. Adj. Die	4.50	80
CK-10K	A	Kit only for above	1.30	63	D-110	C	1/4-28 Rd. Adj. Die	1.70	80
CK-10S	A	Tools with kit	12.75	63	D-115	C	5/16-24 Rd. Adj. Die	1.70	80
CP-2	A	Center Punch, 5/16"x4"	.45	61	D-120	C	3/8-24 Rd. Adj. Die	1.70	80
CP-4	A	Center Punch, 3/8"x5"	.50	61	D-125	C	1/8-20 Rd. Adj. Die	2.80	80
CP-6	A	Center Punch, 1/2"x5 1/2"	.60	61	D-130	C	1/2-20 Rd. Adj. Die	2.80	80
CP-8	A	Center Punch, 7/8"x22"	2.50	61	D-135	C	1/16-18 Rd. Adj. Die	2.80	80
CP-10	A	Prick Punch, 5/16"x6"	.60	61	D-140	C	5/8-18 Rd. Adj. Die	2.80	80
CS-1	A	Carbon Scraper	1.00	45	D-145	C	3/4-16 Rd. Adj. Die	2.80	80
CS-2	A	Carbon Scraper	.45	45	D-150	C	7/8-14 Rd. Adj. Die	4.50	80
CT-1	B	Compression Tester	6.30	82	D-155	C	1-14 Rd. Adj. Die	4.50	80
CW-3	A	Comb. Wr., 3/8"x3/8"	.95	32	D-160	C	1/8 Pipe Die	1.70	80
CW-4	A	Comb. Wr., 1/8"x1/8" short	.95	32	DC-2	A	Diamond Pt. Chisel, 5/16"x5 1/2"	.50	60
CW-5	A	Comb. Wr., 1/8"x1/8" lg.	1.00	32	DC-4	A	Diamond Pt. Chisel, 3/8"x6"	.55	60
CW-6	A	Comb. Wr., 1/2"x1/2" short	1.00	32	DC-6	A	Diamond Pt. Chisel, 1/2"x6 3/4"	.65	60
CW-7	A	Comb. Wr., 1/2"x1/2" lg.	1.05	32	DC-7	A	Diamond Pt. Chisel, 3/4"x7"	1.15	60
CW-8	A	Comb. Wr., 5/16"x5/16" short	1.05	32	DC-8	A	Diamond Pt. Chisel, 7/8"x7 1/2"	1.40	60
CW-9	A	Comb. Wr., 5/16"x5/16" lg.	1.10	32	DH-2	C	10" Die Stock	1.15	79
CW-10	A	Comb. Wr., 5/8"x5/8" short	1.15	32	DH-4	C	9" Die Stock	2.40	80
CW-11	A	Comb. Wr., 5/8"x5/8" lg.	1.25	32	DH-6	C	14" Die Stock	3.80	80
CW-12	A	Comb. Wr., 1 1/8"x1 1/8"	1.40	32	DH-8	C	23" Die Stock	4.75	80
CW-14	A	Comb. Wr., 3/4"x3/4"	1.50	32	DL-2	A	Drag Link Soc., 1 1/8"	.70	20
CW-16	A	Comb. Wr., 1 1/8"x1 1/8"	1.70	32	DL-4	A	Drag Link Soc., 1 1/8"	.85	20
CW-18	A	Comb. Wr., 7/8"x7/8"	1.80	32	DL-6	A	Drag Link Soc., 1 1/16"	.95	20
CW-20	A	Comb. Wr., 1 5/8"x1 5/8"	2.05	32	DL-8	A	Drag Link Soc., 1 1/4"	1.15	20
CW-22	A	Comb. Wr., 1"x1"	2.20	32	DP-2	A	Drift Punch, 1/4"x5"	.30	61
CW-24	A	Comb. Wr., 1 1/16"x1 1/16"	2.50	32	DP-4	A	Drift Punch, 5/16"x6"	.50	61
CW-26	A	Comb. Wr., 1 1/8"x1 1/8"	2.85	32	DP-6	A	Drift Punch, 3/8"x8"	.60	61
CW-30	A	Comb. Wr., 1 1/4"x1 1/4"	3.20	32	DP-8	A	Drift Punch, 1/2"x9"	.85	61
CW-34	A	Comb. Wr., 1 3/8"x1 3/8"	3.40	32	DP-10	A	Drift Punch, 5/8"x11"	1.15	61
CW-36	A	Comb. Wr., 1 7/8"x1 7/8"	3.65	32	DP-12	A	Drift Punch, 5/8"x16"	1.40	61
CW-38	A	Comb. Wr., 1 1/2"x1 1/2"	5.70	32	DS-6	A	Deep Soc., 1/2", 12 pt., 1/2" dr.	.90	21
CW-51	A	Ford Distributor Wr., 1/2"	1.20	36	DS-8	A	Deep Soc., 5/16", 12 pt., 1/2" dr.	.95	21
D	A	Pilot	1.60	106	DS-10	A	Deep Soc., 5/8", 12 pt., 1/2" dr.	1.00	21
D	A	Reamer, 3 1/2"x3 1/2"	3.10	106	DS-12	A	Deep Soc., 1 1/8", 12 pt., 1/2" dr.	1.00	21
D	A	Reamer with Pilot	4.70	106	DS-14	A	Deep Soc., 3/4", 12 pt., 1/2" dr.	1.05	21
D-5	C	1/4-20 Rd. Adj. Die	.65	79	DS-16	A	Deep Soc., 1 1/8", 12 pt., 1/2" dr.	1.10	21
D-10	C	5/16-18 Rd. Adj. Die	.65	79	DS-18	A	Deep Soc., 7/8", 12 pt., 1/2" dr.	1.10	21
D-12S	D	12" Half Circle Shell File	2.60	70	DS-20	A	Deep Soc., 1 1/8", 12 pt., 1/2" dr.	1.35	21
D-15	C	3/8-16 Rd. Adj. Die	.65	79	DS-22	A	Deep Soc., 1", 12 pt., 1/2" dr.	1.35	21
D-20	C	1/8-14 Rd. Adj. Die	.65	79	DS-24	A	Deep Soc., 1 1/16", 12 pt., 1/2" dr.	1.40	21
D-25	C	1/2-13 Rd. Adj. Die	.65	79	DS-26	A	Deep Soc., 1 1/8", 12 pt., 1/2" dr.	1.40	21
D-30	C	1/4-28 Rd. Adj. Die	.65	79	E	A	Pilot	1.60	106
D-35	C	5/16-24 Rd. Adj. Die	.65	79	E	A	Reamer, 3 3/4" to 3 1/2"	3.25	106
D-40	C	3/8-24 Rd. Adj. Die	.65	79	E	A	Reamer and Pilot	4.85	106
D-45	C	1/8-20 Rd. Adj. Die	.65	79	EO-2	A	Sq. Punch, 1/4"x4"	.40	61
D-50	C	1/2-20 Rd. Adj. Die	.65	79	EO-4	A	Sq. Punch, 1/8"x4 1/4"	.50	61
D-55	C	1/8" Pipe Die	.35	79	EO-6	A	Sq. Punch, 3/8"x4 1/4"	.55	61



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
EO-8	A	Sq. Punch, $\frac{1}{2}$ "x $4\frac{5}{8}$ "	.60	61	FC-10	A	Flat Chisel, $\frac{5}{8}$ "x $7\frac{1}{2}$ "	.90	60
EW-3	A	End Wr., $\frac{3}{16}$ "x $\frac{7}{32}$ "	.45	30	FC-12	A	Flat Chisel, $\frac{5}{8}$ "x11"	1.15	60
EW-5	A	End Wr., $\frac{1}{4}$ "x $\frac{5}{16}$ "	.45	30	FC-14	A	Flat Chisel, $\frac{3}{4}$ "x7"	1.15	60
EW-7	A	End Wr., $\frac{3}{32}$ "x $\frac{11}{16}$ "	.50	30	FC-16	A	Flat Chisel, $\frac{3}{4}$ "x9"	1.30	60
EW-8	A	End Wr., $\frac{5}{16}$ "x $\frac{3}{8}$ "	.50	30	FC-18	A	Flat Chisel, $\frac{7}{8}$ "x $7\frac{1}{2}$ "	1.40	60
EW-9	A	End Wr., $\frac{3}{8}$ "x $\frac{7}{16}$ "	.65	30	FC-20	A	Flat Chisel, $\frac{7}{8}$ "x11"	1.55	60
EW-10	A	End Wr., $\frac{5}{16}$ "x $\frac{3}{8}$ "	.65	30	FC-22	A	Flat Chisel, $\frac{7}{8}$ "x16"	1.85	60
EW-12	A	End Wr., $\frac{3}{8}$ "x $\frac{7}{16}$ "	.65	30	FG-1	A	Feeler Gauge	.95	47
EW-14	A	End Wr., $\frac{7}{16}$ "x $\frac{1}{2}$ "	.75	30	FG-2	A	Feeler Gauge	1.25	48
EW-18	A	End Wr., $\frac{1}{2}$ "x $\frac{3}{4}$ "	.90	30	FG-3	A	Feeler Gauge	.95	47
EW-20	A	End Wr., $\frac{1}{2}$ "x $\frac{13}{16}$ "	1.05	30	FG-4	A	Feeler Gauge	1.30	48
EW-22	A	End Wr., $\frac{9}{16}$ "x $\frac{5}{8}$ "	1.05	30	FG-5	A	Feeler Gauge	1.95	47
EW-24	A	End Wr., $\frac{13}{16}$ "x1"	1.10	30	FG-6	B	Feeler Gauge	1.00	48
EW-26	A	End Wr., $\frac{5}{8}$ "x $\frac{11}{16}$ "	1.10	30	FG-7	B	Feeler Gauge	1.00	48
EW-28	A	End Wr., $\frac{5}{8}$ "x $\frac{3}{4}$ "	1.20	30	FG-8	A	Feeler Gauge	1.15	48
EW-30	A	End Wr., $\frac{3}{4}$ "x $\frac{7}{8}$ "	1.50	30	FG-9	B	Feeler Gauge	1.65	49
EW-33	A	End Wr., $\frac{13}{16}$ "x $\frac{7}{8}$ "	1.75	30	FG-10	A	Feeler Gauge	1.95	49
EW-35	A	End Wr., $\frac{15}{16}$ "x1"	2.10	30	FG-11	A	Feeler Stk. Hldrs.	.40	49
EW-36	A	End Wr., $\frac{15}{16}$ "x $1\frac{1}{16}$ "	2.50	30	FG-12	A	Feeler Stk. Hldrs.	.55	49
EW-37	A	End Wr., $1\frac{1}{16}$ "x $1\frac{1}{8}$ "	2.55	30	FG-25	A	Feeler Gauge	2.85	49
EW-39	A	End Wr., $1\frac{5}{16}$ "x $1\frac{3}{8}$ "	2.75	30	FH-1	C	Air Hammer, Small Frame	60.50	68
EW-41	A	End Wr., $1\frac{1}{8}$ "x $1\frac{1}{4}$ "	2.95	30	FH-1B	C	Air Hammer, Large Frame	61.25	68
EW-42	A	End Wr., $1\frac{1}{4}$ "x $1\frac{7}{16}$ "	2.95	30	FH-1C	C	Air Hammer, Small Frame, etc.	70.75	68
EW-44	A	End Wr., $1\frac{1}{2}$ "x $1\frac{5}{8}$ "	5.25	30	FH-1F	C	Small Frame and Plunger	20.55	68
EW-51	A	Brake Wr., $\frac{5}{8}$ "x $\frac{11}{16}$ "	1.80	30	FH-2	C	Air Hammer, Lg. and Sm. Frame	78.00	68
EW-52	A	Brake Wr., $\frac{3}{4}$ "x $\frac{3}{4}$ "	1.90	30	FH-2C	C	Air Hammer, Complete	88.25	68
EW-54	A	Brake Wr., $\frac{3}{4}$ "x $\frac{7}{8}$ "	2.60	30	FH-2F	C	Large Frame and Plunger	17.50	68
EW-55	A	Brake Wr., $\frac{15}{16}$ "x $1\frac{1}{16}$ "	3.10	30	FS-3	A	Dbl. End Flex Soc. $\frac{3}{8}$ "x $\frac{7}{16}$ "	1.80	35
EW-56	A	Brake Wr., $\frac{15}{16}$ "x $1\frac{1}{8}$ "	3.20	30	FS-7	A	Dbl. End Flex Soc. $\frac{7}{16}$ "x $\frac{1}{2}$ "	1.80	35
EW-58	A	Brake Wr., 1"x $1\frac{1}{8}$ "	2.95	30	FS-8	A	Dbl. End Flex Soc. $\frac{1}{2}$ "x $\frac{3}{16}$ "	1.80	35
EW-60	A	U Bolt Wr., 1"x $1\frac{1}{8}$ "	3.85	30	FS-9	A	Dbl. End Flex Soc. $\frac{9}{16}$ "x $\frac{5}{8}$ "	1.80	35
EW-62	A	U Bolt Wr., $1\frac{1}{4}$ "x $1\frac{7}{16}$ "	4.10	30	FS-11	A	Dbl. End Flex Soc. $\frac{11}{16}$ "x $\frac{3}{4}$ "	2.05	35
EW-64	A	Cletrac Wr., $1\frac{5}{16}$ "x $1\frac{3}{8}$ "	4.30	30	FT-3		Flaring Tool	Disc.	46
F	A	Pilot	1.75	106	FT-3A		Die with #51 Clamp	Disc.	46
F	A	Reamer, $\frac{25}{32}$ " to $\frac{27}{32}$ "	3.25	106	FT-51		Clamp Only	Disc.	46
F	A	Reamer and Pilot	5.00	106	FW-1200-I	G	Torque Wr.	18.45	77
F5-L	G	Torque Wr.	37.50	77	G	A	Pilot	1.75	106
F25	G	Torque Wr.	15.50	77	G	A	Reamer $\frac{27}{32}$ "x $1\frac{1}{8}$ "	3.55	106
F-25-I	G	Torque Wr.	37.50	77	G	A	Reamer and Pilot	5.30	106
F-40-I-0	G	Torque Wr.	37.50	77	GC-2	A	Gouge Chisel $\frac{5}{16}$ "x5"	.50	60
F-50	G	Torque Wr.	15.50	77	GC-4	A	Gouge Chisel $\frac{3}{8}$ "x6"	.55	60
F-50-I	G	Torque Wr.	37.50	77	GC-6	A	Gouge Chisel $\frac{1}{2}$ "x $6\frac{1}{2}$ "	.65	60
F-100	G	Torque Wr.	14.95	77	GC-8	A	Gouge Chisel $\frac{3}{8}$ " Oil Groove	.55	60
F-100-I	G	Torque Wr.	37.50	77	GE-8	A	Extension 1" Dr. x 8" Lg.	4.05	26
F-150	G	Torque Wr.	34.50	77	GE-16	A	Extension 1" Dr. x 16" Lg.	5.50	26
F-200	G	Torque Wr.	34.50	77	GR-1A	A	Ratchet Hd. 1" Dr.	15.00	26
F-200-I	G	Torque Wr.	37.50	77	GR-1L	A	Ratchet Hdl. 1" Dr.	4.60	26
F-300	G	Torque Wr.	45.00	77	GH-30	A	Slide Tee Hdl. 1" Dr.	7.25	26
F-300-I	G	Torque Wr.	15.50	77	GR-1	A	Ratchet Comp. 1" Dr.	19.55	26
F-600-I	G	Torque Wr.	15.50	77	GS-44	A	Soc. $1\frac{5}{8}$ "x6pt.x1"dr.	3.05	26
F-1200-I	G	Torque Wr.	18.45	77	GS-48	A	Soc. $1\frac{3}{4}$ "x6pt.x1"dr.	3.45	26
F-1800-I	G	Torque Wr.	34.50	77	GS-50	A	Soc. $1\frac{1}{8}$ "x6pt.x1"dr.	4.20	26
F-2400-I	G	Torque Wr.	34.50	77	GS-52	A	Soc. $1\frac{7}{8}$ "x6pt.x1"dr.	4.45	26
F-3600-I	G	Torque Wr.	45.00	77	GS-56	A	Soc. 2" x6pt.x1"dr.	5.70	26
FC-2	A	Flat Chisel, $\frac{5}{16}$ "x4"	.40	60	GS-58	A	Soc. $2\frac{1}{8}$ "x6pt.x1"dr.	5.85	26
FC-4	A	Flat Chisel, $\frac{5}{16}$ "x5"	.50	60	GS-59	A	Soc. $2\frac{3}{8}$ "x6pt.x1"dr.	6.20	26
FC-6	A	Flat Chisel, $\frac{3}{8}$ "x6"	.55	60					
FC-8	A	Flat Chisel, $\frac{1}{2}$ "x $6\frac{1}{2}$ "	.65	60					



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
GS-60	A	Soc. 2¼"x6pt.x1"dr.	6.45	26	HS-2	A	Soc. 7/8" 12 pt. x ¾" dr.	1.05	23
GS-62	A	Soc. 2¾"x6pt.x1"dr.	6.85	26	HS-4	A	Soc. 1½" 12 pt. x ¾" dr.	1.05	23
GS-64	F	Soc. 2½"x6pt.x1"dr.	8.50	26	HS-6	A	Soc. 1" 12 pt. x ¾" dr.	1.10	23
GS-66	F	Soc. 2¾"x6pt.x1"dr.	8.85	26	HS-8	A	Soc. 1¼" 12 pt. x ¾" dr.	1.15	23
GS-68	F	Soc. 2¾"x6pt.x1"dr.	9.95	26	HS-10	A	Soc. 1½" 12 pt. x ¾" dr.	1.20	23
GS-69	F	Soc. 2½"x6pt.x1"dr.	12.50	26	HS-12	A	Soc. 1½" 12 pt. x ¾" dr.	1.35	23
GS-72	F	Soc. 3½"x6pt.x1"dr.	15.00	26	HS-14	A	Soc. 1¼" 12 pt. x ¾" dr.	1.50	23
GT-1	D	Ring Groove Cleaner	2.80	44	HS-16	A	Soc. 1½" 12 pt. x ¾" dr.	1.50	23
GT-2	D	Ring Groove Cleaner	3.30	44	HS-18	A	Soc. 1¾" 12 pt. x ¾" dr.	1.75	23
GT-7	D	Ring Land Remover for GT-1	1.75	44	HS-20	A	Soc. 1½" 12 pt. x ¾" dr.	1.85	23
GT-8	D	Ring Land Remover for GT-2	2.20	44	HS-22	A	Soc. 1½" 12 pt. x ¾" dr.	2.05	23
GT-11	D	GT-1 Cleaning Blade	1.75	44	HS-26	A	Soc. 1½" 12 pt. x ¾" dr.	2.25	23
GT-12	D	GT-2 Cleaning Blade	2.20	44	HS-28	A	Soc. 1½" 12 pt. x ¾" dr.	2.65	23
GW-4	A	Grinding Wheel 4" 60 Grit	1.70	58	HS-30	A	Soc. 1¾" 12 pt. x ¾" dr.	2.75	23
GW-6	A	Grinding Wheel 4" 36 Grit	1.70	58	HS-32	A	Soc. 1½" 12 pt. x ¾" dr.	2.95	23
GW-8	A	Grinding Wheel 6"x½" 60 Grit	2.90	58	HS-34	A	Soc. 1½" 12 pt. x ¾" dr.	3.15	23
GW-10	A	Grinding Wheel 6"x½" 36 Grit	2.90	58	HS-38	A	Soc. 2" 12 pt. x ¾" dr.	3.35	23
GW-12	A	Grinding Wheel 6"x¾" 60 Grit	3.35	58	HS-48	A	Soc. 1½" 6 pt. x ¾" dr.	1.00	23
GW-14	A	Grinding Wheel 6"x¾" 36 Grit	3.35	58	HS-50	A	Soc. 1½" 6 pt. x ¾" dr.	1.05	23
H	A	Pilot	1.90	106	HS-54	A	Soc. 1¼" 6 pt. x ¾" dr.	1.30	23
H	A	Reamer, 1½" to 1¼"	3.80	106	HS-58	A	Soc. 1¾" 6 pt. x ¾" dr.	1.50	23
H	A	Reamer and Pilot	5.70	106	HS-60	A	Soc. 1½" 6 pt. x ¾" dr.	1.60	23
H-2	A	Ball Pein Hammer, 2-oz.	1.15	81	HS-62	A	Soc. 1½" 6 pt. x ¾" dr.	1.75	23
H-4	A	Ball Pein Hammer, 4-oz.	1.15	81	HS-66	A	Soc. 1½" 6 pt. x ¾" dr.	1.95	23
H-8	A	Ball Pein Hammer, 8-oz.	1.25	81	HS-70	A	Soc. 1¾" 6 pt. x ¾" dr.	2.40	23
H-12	A	Ball Pein Hammer, 12-oz.	1.30	81	HS-72	A	Soc. 1½" 6 pt. x ¾" dr.	2.55	23
H-16	A	Ball Pein Hammer, 16-oz.	1.35	81	HS-74	A	Soc. 1½" 6 pt. x ¾" dr.	2.80	23
H-24	A	Ball Pein Hammer, 24-oz.	1.60	81	HS-78	A	Soc. 2" 6 pt. x ¾" dr.	3.20	23
H-32	A	Ball Pein Hammer, 32-oz.	1.80	81					
H-40	A	Ball Pein Hammer, 40-oz.	2.10	81	HSD-4	E	1/8 HSSS Jobber Drills, ea.	.29	83
H-48	A	Ball Pein Hammer, 48-oz.	2.35	81	HSD-5	E	5/16 HSSS Jobber Drills, ea.	.30	83
HA-1	A	Adaptor ½" Female x 5/8" Male	.95	20	HSD-6	E	3/8 HSSS Jobber Drills, ea.	.31	83
HA-2	A	Adaptor ¾" Female x 5/8" Male	1.65	22	HSD-7	E	7/16 HSSS Jobber Drills, ea.	.33	83
HA-11	A	Adaptor ½" Female x ¾" Male	1.10	22	HSD-8	E	1/2 HSSS Jobber Drills, ea.	.35	83
HA-13	A	Adaptor 7/8" Female x ¾" Male	1.85	22	HSD-9	E	9/16 HSSS Jobber Drills, ea.	.38	83
HA-14	A	Adaptor ¾" Female x 1" Male	2.15	22	HSD-10	E	5/8 HSSS Jobber Drills, ea.	.41	83
HA-15	A	Adaptor 7/8" Female x 1" Male	2.05	22	HSD-11	E	11/16 HSSS Jobber Drills, ea.	.44	83
HA-21	A	Adaptor ¾" Female x 7/8" Male	1.65	22	HSD-12	E	3/4 HSSS Jobber Drills, ea.	.48	83
HA-31	A	Adaptor 1" Female x ¾" Male	2.50	22	HSD-13	E	13/16 HSSS Jobber Drills, ea.	.51	83
HA-35	A	Adaptor 1" Female x 7/8" Male	2.50	22	HSD-14	E	15/16 HSSS Jobber Drills, ea.	.56	83
HDS-4	A	Deep Soc. 1/8"x12pt.x¾" dr.	2.10	23	HSD-15	E	15/16 HSSS Jobber Drills, ea.	.61	83
HDS-6	A	Deep Soc. 1" x12pt.x¾" dr.	2.25	23	HSD-16	E	1/4 HSSS Jobber Drills, ea.	.66	83
HDS-8	A	Deep Soc. 1¼"x12pt.x¾" dr.	2.30	23	HSD-17	E	11/16 HSSS Jobber Drills, ea.	.74	83
HDS-10	A	Deep Soc. 1½"x12pt.x¾" dr.	2.40	23	HSD-18	E	3/2 HSSS Jobber Drills, ea.	.81	83
HDS-14	A	Deep Soc. 1¼"x12pt.x¾" dr.	2.50	23	HSD-19	E	13/16 HSSS Jobber Drills, ea.	.88	83
HDS-20	A	Deep Soc. 1½"x12pt.x¾" dr.	2.75	23	HSD-20	E	15/16 HSSS Jobber Drills, ea.	.96	83
HDS-26	A	Deep Soc. 1½"x12pt.x¾" dr.	3.85	23	HSD-21	E	11/16 HSSS Jobber Drills, ea.	1.05	83
HE-4	A	Extension 4"x¾" dr.	1.45	22	HSD-22	E	11/16 HSSS Jobber Drills, ea.	1.15	83
HE-6	A	Extension 6"x¾" dr.	1.70	22	HSD-23	E	3/4 HSSS Jobber Drills, ea.	1.25	83
HE-8	A	Extension 8"x¾" dr.	2.25	22	HSD-24	E	3/4 HSSS Jobber Drills, ea.	1.35	83
HE-16	A	Extension 16"x¾" dr.	3.15	22	HSD-25	E	13/16 HSSS Jobber Drills, ea.	1.47	83
HH-20	A	Slide Tee Hdl. ¾" dr.	3.25	22	HSD-26	E	13/16 HSSS Jobber Drills, ea.	1.59	83
HH-24	A	Flex Hdl. ¾" dr.	5.50	22	HSD-27	E	13/16 HSSS Jobber Drills, ea.	1.72	83
HR-1	A	Ratchet ¾" dr.	9.50	22	HSD-28	E	15/16 HSSS Jobber Drills, ea.	1.84	83
HR-1F	A	Ratchet Plug ¾"x¾"	.90	22	HSD-29	E	15/16 HSSS Jobber Drills, ea.	1.96	83
HRA	A	Ratchet Plug ¾"x5/8"	.90	22	HSD-30	E	15/16 HSSS Jobber Drills, ea.	2.08	83
HRC	A	Ratchet Plug ¾"x7/8"	.90	22	HSD-31	E	15/16 HSSS Jobber Drills, ea.	2.23	83
HRG	A	Ratchet Plug ¾"x1"	.90	22	HSD-32	E	1/2 HSSS Jobber Drills, ea.	2.38	83
					HSD-33	E	1/6 to 1/4 HSSS Jobber Set Drills, only	5.75	83
					HSD-33B	C	Metal Box Only	1.20	83



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
HSD-33S	D	Drill Set in metal box	6.95	83	JDS-85	A	Jr. Deep Soc. $\frac{1}{16}$ " 6 pt.x $\frac{3}{8}$ " dr.	1.15	17
HSD-35	E	$\frac{1}{16}$ to $\frac{1}{2}$ HSSS Jobber St. Drills only	29.15	83	JDS-86	A	Jr. Deep Soc. $\frac{1}{2}$ " 8 pt.x $\frac{3}{8}$ " dr.	.75	14
HSD-35B	C	Metal Box only	3.50	83	JDS-87	A	Jr. Deep Soc. 1" 6 pt.x $\frac{3}{8}$ " dr.	1.20	17
HSD-35S	D	Drill Set in Metal Box	32.65	83					
HSW-1	A	.050 Hex Allen Wrench	.07	54	JE-2	A	Extension, $1\frac{1}{2}$ " x $\frac{3}{8}$ " dr.	.60	12
HSW-3	A	$\frac{1}{16}$ Hex Allen Wr.	.07	54	JE-4	A	Extension, 4" x $\frac{3}{8}$ " dr.	.75	12
HSW-5	A	$\frac{3}{32}$ Hex Allen Wr.	.07	54	JE-7	A	Extension, 7" x $\frac{3}{8}$ " dr.	1.05	12
HSW-7	A	$\frac{1}{8}$ Hex Allen Wr.	.07	54	JE-12	A	Extension, 12" x $\frac{3}{8}$ " dr.	1.20	12
HSW-9	A	$\frac{1}{8}$ Hex Allen Wr.	.07	54	JE-18	A	Extension, 18" x $\frac{3}{8}$ " dr.	1.30	12
HSW-11	A	$\frac{5}{32}$ Hex Allen Wr.	.10	54	JE-24	A	Extension, 24" x $\frac{3}{8}$ " dr.	1.50	12
HSW-13	A	$\frac{3}{16}$ Hex Allen Wr.	.12	54	JH-7	A	Flex Hdl., 7" x $\frac{3}{8}$ " dr.	2.10	12
HSW-15	A	$\frac{7}{32}$ Hex Allen Wr.	.15	54	JH-8	A	Sliding Tee Hdl., 8" x $\frac{3}{8}$ " dr.	1.00	12
HSW-17	A	$\frac{1}{4}$ Hex Allen Wr.	.18	54	JH-17	A	Speed Hdl., 17" x $\frac{3}{8}$ " dr.	1.45	12
HSW-19	A	$\frac{5}{16}$ Hex Allen Wr.	.19	54	JH-26	A	Speed Hdl., 26" x $\frac{3}{8}$ " dr.	1.70	12
HSW-21	A	$\frac{3}{8}$ Hex Allen Wr.	.29	54	JH-34	A	Speed Hdl., 34" x $\frac{3}{8}$ " dr.	2.20	12
HSW-23	A	$\frac{7}{16}$ Hex Allen Wr.	.34	54	JR-1	A	Ratchet, $\frac{3}{8}$ " dr.	3.75	12
HSW-25	A	$\frac{1}{2}$ Hex Allen Wr.	.48	54	JR-2	A	Ratchet, $\frac{3}{8}$ " dr.	3.75	12
HSW-27	A	$\frac{5}{8}$ Hex Allen Wr.	.67	54					
I	A	Pilot	2.10	106	JS-6	A	Soc., $\frac{3}{8}$ ", 12 pt. $\frac{3}{8}$ " dr.	.40	14
I	A	Reamer, $1\frac{1}{16}$ to $1\frac{3}{16}$	4.60	106	JS-8	A	Soc., $\frac{7}{16}$ ", 12 pt. $\frac{3}{8}$ " dr.	.40	14
I	A	Reamer and Pilot	6.70	106	JS-9	A	Soc., $\frac{1}{2}$ ", 12 pt. $\frac{3}{8}$ " dr.	.40	14
IW-3	A	Ignition Wr. $\frac{1}{4}$ " $15^\circ$ x $\frac{1}{4}$ " $60^\circ$	.40	27	JS-10	A	Soc., $\frac{1}{2}$ ", 12 pt. $\frac{3}{8}$ " dr.	.40	14
IW-5	A	Ignition Wr. $\frac{7}{32}$ " $15^\circ$ x $\frac{1}{4}$ " $60^\circ$	.40	27	JS-12	A	Soc., $\frac{1}{16}$ ", 12 pt. $\frac{3}{8}$ " dr.	.40	14
IW-7	A	Ignition Wr. $\frac{1}{4}$ " $15^\circ$ x $\frac{1}{4}$ " $60^\circ$	.40	27	JS-14	A	Soc., $\frac{5}{8}$ ", 12 pt. $\frac{3}{8}$ " dr.	.45	14
IW-9	A	Ignition Wr. $\frac{1}{4}$ " $15^\circ$ x $\frac{1}{4}$ " $60^\circ$	.40	27	JS-16	A	Soc., $\frac{1}{16}$ ", 12 pt. $\frac{3}{8}$ " dr.	.55	14
IW-13	A	Ignition Wr. $\frac{9}{32}$ " $15^\circ$ x $\frac{1}{4}$ " $60^\circ$	.40	27	JS-18	A	Soc., $\frac{3}{4}$ ", 12 pt. $\frac{3}{8}$ " dr.	.55	14
IW-17	A	Ignition Wr. $\frac{5}{16}$ " $15^\circ$ x $\frac{9}{32}$ " $60^\circ$	.40	27	JS-32	A	Elbow Soc., $\frac{1}{16}$ " x $\frac{3}{8}$ " dr.	.70	13
IW-19	A	Ignition Wr. $\frac{1}{2}$ " $15^\circ$ x $\frac{3}{8}$ " $60^\circ$	.40	27	JS-34	A	Elbow Soc., $\frac{1}{2}$ " x $\frac{3}{8}$ " dr.	.75	13
IW-21	A	Ignition Wr. $\frac{3}{8}$ " $15^\circ$ x $\frac{1}{2}$ " $60^\circ$	.40	27	JS-36	A	Elbow Soc., $\frac{3}{4}$ " x $\frac{3}{8}$ " dr.	.85	13
					JS-40		Chev. Pan Screw Soc.	Disc.	13
J	A	Pilot	2.75	106	JS-41		Chev. Pan Screw Soc.	Disc.	13
J	A	Reamer, $1\frac{3}{16}$ to $1\frac{1}{2}$	5.30	106	JS-62	A	Soc., $\frac{1}{4}$ ", 6 pt. $\frac{3}{8}$ " dr.	.40	14
J	A	Reamer and Pilot	8.05	106	JS-64	A	Soc., $\frac{5}{16}$ ", 6 pt. $\frac{3}{8}$ " dr.	.40	14
J-12	D	12" Moulding File	2.55	70	JS-66	A	Soc., $\frac{3}{8}$ ", 6 pt. $\frac{3}{8}$ " dr.	.40	14
JA-2	A	Adaptor $\frac{1}{2}$ " Female x $\frac{3}{8}$ " Male	.60	14	JS-68	A	Soc., $\frac{1}{8}$ ", 6 pt. $\frac{3}{8}$ " dr.	.40	14
JC-10	A	Crowfoot Open End Wr. $\frac{1}{2}$ " x $\frac{3}{8}$ " dr.	1.45	13	JS-70	A	Soc., $\frac{1}{2}$ ", 6 pt. $\frac{3}{8}$ " dr.	.40	14
JC-12	A	Crowfoot Open End Wr. $\frac{3}{8}$ " x $\frac{3}{8}$ " dr.	1.45	13	JS-72	A	Soc., $\frac{1}{16}$ ", 6 pt. $\frac{3}{8}$ " dr.	.40	14
JDL-1	A	Drag Link Soc. $\frac{3}{8}$ " dr.	.50	13	JS-74	A	Soc., $\frac{5}{8}$ ", 6 pt. $\frac{3}{8}$ " dr.	.45	14
JDL-3	A	Clutch Type Soc. Screw Drvr. $\frac{3}{8}$ " dr.	.50	13					
JDS-12	A	Jr. Deep Soc. $\frac{3}{16}$ " 12 pt.x $\frac{3}{8}$ " dr.	.70	14	JT-18	A	Universal Tee Hdl., 18" x $\frac{3}{8}$ " dr.	2.95	12
JDS-14	A	Jr. Deep Soc. $\frac{5}{8}$ " 12 pt.x $\frac{3}{8}$ " dr.	.70	14	JT-24	A	Universal Tee Hdl., 24" x $\frac{3}{8}$ " dr.	3.15	12
JDS-16	A	Jr. Deep Soc. $\frac{1}{8}$ " 12 pt.x $\frac{3}{8}$ " dr.	.75	14	JU-1	A	Universal Joint, $\frac{3}{8}$ " dr.	1.80	14
JDS-18	A	Jr. Deep Soc. $\frac{3}{4}$ " 12 pt.x $\frac{3}{8}$ " dr.	.75	14	JU-6	A	Universal Soc., $\frac{3}{8}$ ", 12 pt. $\frac{3}{8}$ " dr.	1.80	14
JDS-21	A	Jr. Deep Soc. $\frac{1}{8}$ " 12 pt.x $\frac{3}{8}$ " dr.	1.00	14	JU-8	A	Universal Soc., $\frac{1}{16}$ ", 12 pt. $\frac{3}{8}$ " dr.	1.80	14
JDS-23	A	Jr. Deep Soc. $\frac{7}{8}$ " 12 pt.x $\frac{3}{8}$ " dr.	1.05	14	JU-10	A	Universal Soc., $\frac{1}{2}$ ", 12 pt. $\frac{3}{8}$ " dr.	1.80	14
JDS-27	A	Jr. Deep Soc. 1" 12 pt.x $\frac{3}{8}$ " dr.	1.20	14	JU-12	A	Universal Soc., $\frac{3}{16}$ ", 12 pt. $\frac{3}{8}$ " dr.	1.85	14
JDS-66	A	Jr. Deep Soc. $\frac{3}{8}$ " 6 pt.x $\frac{3}{8}$ " dr.	.60	14	JU-14	A	Universal Soc., $\frac{5}{8}$ ", 12 pt. $\frac{3}{8}$ " dr.	1.95	14
JDS-68	A	Jr. Deep Soc. $\frac{1}{16}$ " 6 pt.x $\frac{3}{8}$ " dr.	.65	14	JU-16	A	Universal Soc., $\frac{1}{8}$ ", 12 pt. $\frac{3}{8}$ " dr.	2.05	14
JDS-70	A	Jr. Deep Soc. $\frac{1}{2}$ " 6 pt.x $\frac{3}{8}$ " dr.	.65	14	JU-18	A	Universal Soc., $\frac{3}{4}$ ", 12 pt. $\frac{3}{8}$ " dr.	2.05	14
JDS-72	A	Jr. Deep Soc. $\frac{3}{16}$ " 6 pt.x $\frac{3}{8}$ " dr.	.75	14	JU-56	A	Universal Soc., $\frac{3}{8}$ ", 6 pt. $\frac{3}{8}$ " dr.	1.80	14
JDS-74	A	Jr. Deep Soc. $\frac{5}{8}$ " 6 pt.x $\frac{3}{8}$ " dr.	.75	14	JU-58	A	Universal Soc., $\frac{1}{16}$ ", 6 pt. $\frac{3}{8}$ " dr.	1.80	14
JDS-75	A	Jr. Deep Soc. $\frac{5}{8}$ " 6 pt.x $\frac{3}{8}$ " dr.	.80	14	JU-60	A	Universal Soc., $\frac{1}{2}$ ", 6 pt. $\frac{3}{8}$ " dr.	1.80	14
JDS-76	A	Jr. Deep Soc. $\frac{1}{8}$ " 6 pt.x $\frac{3}{8}$ " dr.	.80	14	JU-62	A	Universal Soc., $\frac{3}{16}$ ", 6 pt. $\frac{3}{8}$ " dr.	1.85	14
JDS-78	A	Jr. Deep Soc. $\frac{3}{4}$ " 6 pt.x $\frac{3}{8}$ " dr.	.90	14	JU-64	A	Universal Soc., $\frac{5}{8}$ ", 6 pt. $\frac{3}{8}$ " dr.	1.95	14
JDS-80	A	Jr. Deep Soc. $\frac{1}{8}$ " 6 pt.x $\frac{3}{8}$ " dr.	1.00	17	K	A	Pilot	3.30	106
JDS-82	A	Jr. Deep Soc. $\frac{3}{8}$ " 8 pt.x $\frac{3}{8}$ " dr.	.65	14	K	A	Reamer, $1\frac{1}{16}$ " x $1\frac{1}{2}$ "	6.60	106
JDS-83	A	Jr. Deep Soc. $\frac{7}{8}$ " 6 pt.x $\frac{3}{8}$ " dr.	1.05	17	K	A	Reamer and Pilot	9.90	106
JDS-84	A	Jr. Deep Soc. $\frac{1}{16}$ " 8 pt.x $\frac{3}{8}$ " dr.	.70	14	K-12	D	12" Half Rd. Shell File	2.55	70
					KO-1	A	Knock-Off Wheel Pullers	1.05	99
					KO-3	A	Knock-Off Wheel Pullers	1.05	99



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
KO-6	A	Knock-Off Wheel Pullers	1.10	99	PA4	A	Adaptor, 1/4" Hex	.15	54
KO-9	A	Knock-Off Wheel Pullers	1.25	99	PA-7	A	Adaptor, 1/8" Hex	.20	54
KO-11	A	Knock-Off Wheel Pullers	1.50	99	PA-10	A	Adaptor, 3/8" Hex	.20	54
L	A	Pilot	3.85	106	PA-13	A	Adaptor, 7/16" Hex	.25	54
L	A	Reamer, 1 1/8" to 1 3/8"	7.60	106	PA-16	A	Adaptor, 1/2" Hex	.25	54
L	A	Reamer and Pilot	11.45	106	PA-19	A	Adaptor, 5/8" Hex	.25	54
M	A	Pilot	6.00	106	PA-22	A	Adaptor, 5/8" Hex	.30	54
M	A	Reamer, 1 3/8" to 2 1/8"	9.90	106	PA-25	A	Adaptor, 1 1/8" Hex	.30	54
M	A	Reamer and Pilot	15.90	106	PA-28	A	Adaptor, 3/4" Hex	.35	54
MMT-10	C	Spark Plug Tap, 10MM	.50	79	PA-31	A	Adaptor, 7/8" Hex	.35	54
MMT-14	C	Spark Plug Tap, 14MM	.70	79	PAK-10	A	Hex plug set	3.45	54
MMT-18	C	Spark Plug Tap, 18MM	.95	79	PB-3	A	Pry Bar	1.60	64
MMT-42	C	Spark Plug Tap & Reamer Set	5.95	79	PB-4	A	Pry Bar	1.60	64
MSD-22	C	4-36 MS Die	.75	79	PB-5	A	Pry Bar	1.60	64
MSD-30	C	6-32 MS Die	.75	79	PB-6	A	Pry Bar	2.55	64
MSD-36	C	8-32 MS Die	.75	79	PD-5	C	Phillips Drvr., #1 pt.	.35	57
MSD-44	C	10-24 MS Die	.75	79	PD-8	C	Phillips Drvr., #2 pt. 4 1/2" OA	.40	57
MSD-46	C	10-32 MS Die	.75	79	PD-10	C	Phillips Drvr., #2 pt.	.45	57
MSD-52	C	12-24 MS Die	.75	79	PD-15	C	Phillips Drvr., #3 pt.	.50	57
MST-22	C	4-36 MS Tap	.30	79	PD-20	C	Phillips Drvr., #4 pt.	.65	57
MST-30	C	6-32 MS Tap	.30	79	PD-23		Phillips Offset Drvr.	Disc.	55
MST-36	C	8-32 MS Tap	.30	79	PD-25		Phillips Offset Drvr.	Disc.	55
MST-44	C	10-24 MS Tap	.30	79	PD-27		Phillips Offset Drvr.	Disc.	55
MST-46	C	10-32 MS Tap	.30	79	PD-29		Phillips Offset Drvr.	Disc.	55
MST-52	C	12-24 MS Tap	.30	79	PD-40	D	Phillips Soc. Drvr., #2 pt. 1/4" dr.	.80	56
N	A	Pilot	8.40	106	PD-45	D	Phillips Soc. Drvr., #2 pt. 3/8" dr.	.90	56
N	A	Reamer, 2 3/8" to 2 3/4"	16.50	106	PD-50	D	Phillips Soc. Drvr., #3 pt. 3/8" dr.	.90	56
N	A	Reamer and Pilot	24.90	106	PD-55	D	Phillips Soc. Drvr., #4 pt. 3/8" dr.	.90	56
N7F	D	7" Flat Revel File	2.15	70	PD-60	D	Phillips Soc. Drvr., #4 pt. 3/8" dr. lg.	1.40	56
N7M	D	7" Moulding Revel File	2.15	70	PDK-130		Offset Phillips Drvr. Set	Disc.	55
N7S	D	7" Shell Revel File	2.15	70	PF-1	A	Point File	.15	27
NST-18	C	7/8-18 Spark Plug Tap	1.30	79	PF-2	A	Point File, .025 thick	.85	27
O	A	Pilot	10.90	106	PF-3	A	Flexstone	.15	27
O	A	Reamer, 2 3/4" to 3 1/8"	23.10	106	PF-25	A	Flexstone, .025 thick	.15	27
O	A	Reamer and Pilot	34.00	106	PH-5		Plastic Hammer, 5 oz.	Disc.	81
OW-8	A	Manifold Wr., 1/2"x3/8"	1.30	35	PH-8		Plastic Hammer, 8 oz.	Disc.	81
OW-65	A	Torque Wr. Attachment, 5/8"	3.20	20	PH-8A		Plastic Hammer, 8 oz.	Disc.	81
OW-66	A	Torque Wr. Attachment, 5/8"	3.45	20	PH-15		Plastic Hammer, 15 oz.	Disc.	81
OW-69	A	Torque Wr. Attachment, 3/4"	3.20	20	PH-17		Plastic Hammer, 17 oz.	Disc.	81
OW-70	A	Torque Wr. Attachment, 3/4"	3.50	20	PH-24		Plastic Hammer, 24 oz.	Disc.	81
P-2	C	5" Ignition Plier	1.60	54	PH-32		Plastic Hammer, 32 oz.	Disc.	81
P-6		Plier	Disc.	50	PJ-2	B	Brake Pedal Jack	3.50	39
P-10	C	7 1/2" Battery Plier	1.30	51	PK-2	A	Pin Punch set tools	1.50	62
P-14	C	9" Water Pump Plier	2.30	46	PK-2K	A	Kit only for above	.15	62
P-16	C	7" Combination Plier with Side Cutter	2.55	50	PK-2S	A	Pin Punch set with kit	1.65	62
P-17	C	8" Lineman Plier	3.80	51	PK-4	A	Sq. Punch set tools	2.05	62
P-18	C	9" Heavy Duty Plier	2.40	50	PK-4K	A	Kit only for above	.30	62
P-20	C	7" Hvy. Duty Diagonal Cutter	3.25	50	PK-4S	A	Sq. Punch set with kit	2.35	62
P-22	C	7 1/2" Duckbill Plier	2.60	51	PK-6	A	Drift Punch set tools	3.40	62
P-23	C	7 1/2" Needle Nose Plier	2.60	51	PK-6K	A	Kit only for above	.35	62
P-32	A	14" Brake Spring Tong	2.55	39	PK-6S	A	Drift Punch set with kit	3.75	62
P-35	A	24" Brake Spring Tong	4.95	39	PK-8	A	Pin Punch set tools	3.30	62
P-48	B	Puller	9.65	98	PK-8K	A	Kit only for above	.35	62
P-60	C	7" Vise Grip Plier	1.65	54	PK-8S	A	Pin Punch set with kit	3.65	62
P-62	C	10" Vise Grip Plier	1.95	54	PP-2	A	Pin Punch, 1/16" pt.	.30	61
					PP-4	A	Pin Punch, 5/32" pt.	.30	61



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
PP-6	A	Pin Punch, $\frac{3}{32}$ " pt.	.30	61	SD-48	A	Offset Screw Drvr.	.60	55
PP-8	A	Pin Punch, $\frac{1}{8}$ " pt.	.30	61	SD-49	A	Offset Screw Drvr.	.65	55
PP-10	A	Pin Punch, $\frac{5}{32}$ " pt.	.45	61	SD-50	A	Offset Screw Drvr.	.70	55
PP-12	A	Pin Punch, $\frac{3}{16}$ " pt.	.50	61	SD-52	A	Soc. Screw Drvr., $\frac{3}{8}$ " dr.	.75	56
PP-14	A	Pin Punch, $\frac{15}{64}$ " pt.	.65	61	SD-54	A	Soc. Screw Drvr. $\frac{1}{2}$ " dr.	.90	56
PP-16	A	Pin Punch, $\frac{3}{16}$ " pt.	.75	61	SD-89	A	Screw Drvr., $\frac{3}{16}$ " stk. 3" blade	.45	57
PP-18	A	Pin Punch, $\frac{3}{8}$ " pt.	.95	61	SD-90	A	Screw Drvr., $\frac{3}{16}$ " stk. 5" blade	.45	57
PSS-1	C	Screw Starter, 2 $\frac{1}{2}$ "	1.10	55	SD-91	A	Screw Drvr., $\frac{3}{16}$ " stk. 8" blade	.50	57
PSS-2	C	Screw Starter, 5"	1.25	55	SD-92	A	Screw Drvr., $\frac{1}{4}$ " stk. 3" blade	.55	57
PSS-3	C	Screw Starter, 9"	1.35	55	SD-93	A	Screw Drvr., $\frac{1}{4}$ " stk. 6" blade	.65	57
PSS-4	C	Screw Starter, 15"	1.75	55	SD-94	A	Screw Drvr., $\frac{1}{4}$ " stk. 10" blade	.75	57
PW-6	C	Pipe Wr., 6"	1.90	36	SD-95	A	Screw Drvr., $\frac{5}{16}$ " stk. 6" blade	.85	57
PW-8	C	Pipe Wr., 8"	2.20	36	SD-96	A	Screw Drvr., $\frac{5}{16}$ " stk. 12" blade	1.00	57
PW-10	C	Pipe Wr., 10"	2.85	36	SD-97	A	Screw Drvr., $\frac{3}{8}$ " stk. 7" blade	1.05	57
PW-14	C	Pipe Wr., 14"	3.85	36	SD-98	A	Screw Drvr., $\frac{3}{8}$ " stk. 18" blade	1.20	57
PW-18	C	Pipe Wr., 18"	5.50	36	SD-102	A	Screw Drvr., $\frac{1}{8}$ " stk. 4 $\frac{1}{2}$ " OA	.45	57
PW-24	C	Pipe Wr., 24"	9.50	36	SD-104	A	Screw Drvr., $\frac{1}{8}$ " stk. 5" blade	.55	57
R-6	D	6" Radius File	2.70	70	SD-106	A	Screw Drvr., $\frac{3}{16}$ " stk. 4 $\frac{1}{2}$ " OA	.85	57
RB-2	A	Rivet Buster, $\frac{3}{4}$ "x11"	1.40	60	SD-108	A	Screw Drvr., $\frac{3}{16}$ " stk. 3" blade	.95	57
RB-4	A	Rivet Buster, $\frac{7}{8}$ "x22"	2.45	60	SD-110	A	Screw Drvr., $\frac{3}{16}$ " stk. 3" blade	1.00	57
RC-1	A	Ring Compressor	.95	45	SD-112	A	Screw Drvr., $\frac{3}{16}$ " stk. 8" blade	1.10	57
RC-3	A	Ring Compressor	2.10	45	SD-114	A	Screw Drvr., $\frac{1}{4}$ " stk. 4" OA	1.00	57
RC-5	A	Ring Compressor	2.50	45	SD-116	A	Screw Drvr., $\frac{1}{4}$ " stk. 3" blade	1.35	57
RP-2	A	Rivet Punch, $\frac{5}{16}$ "x4"	.45	61	SD-118	A	Screw Drvr., $\frac{1}{4}$ " stk. 6" blade	1.40	57
RP-4	A	Rivet Punch, $\frac{3}{8}$ "x5"	.55	61	SD-120	A	Screw Drvr., $\frac{1}{4}$ " stk. 10" blade	1.55	57
RP-6	A	Rivet Punch, $\frac{1}{2}$ "x6 $\frac{1}{2}$ "	.65	61	SD-122	A	Screw Drvr., $\frac{5}{16}$ " stk. 6" blade	1.75	57
RP-8	A	Rivet Punch, $\frac{5}{8}$ "x7 $\frac{1}{2}$ "	.85	61	SD-124	A	Screw Drvr., $\frac{5}{16}$ " stk. 12" blade	2.00	57
RP-10	A	Rivet Punch, $\frac{5}{8}$ "x11"	1.35	61	SD-126	A	Screw Drvr., $\frac{3}{8}$ " stk. 7" blade	2.15	57
RP-12	A	Rivet Punch, $\frac{3}{4}$ "x11"	1.65	61	SD-128	A	Screw Drvr., $\frac{3}{8}$ " stk. 12" blade	2.30	57
RP-14	A	Rivet Punch, $\frac{7}{8}$ "x12"	1.85	61	SD-130	A	Screw Drvr., $\frac{3}{8}$ " stk. 18" blade	2.40	57
RS-1	A	Rivet Set	.95	65	SD-135	A	Spark Plug Testing Screw Drvr.	.75	56
RS-4	A	Rivet Set	.95	65	SD-140	A	Spark Plug Testing Screw Drvr.	.65	10
RS-7	A	Rivet Set	1.15	65	SD-142	A	Spark Plug Testing Screw Drvr.	.95	56
SA-2	A	Adaptor, $\frac{3}{8}$ " female x $\frac{1}{2}$ " male	.65	14	SD-189	A	Screw Drvr., $\frac{3}{16}$ " stk. 3" blade	.85	57
SA-6	A	Adaptor, $\frac{5}{8}$ " female x $\frac{1}{2}$ " male	.90	20	SD-190	A	Screw Drvr., $\frac{3}{16}$ " stk. 5" blade	.85	57
SA-8	A	Adaptor, $\frac{3}{4}$ " female x $\frac{1}{2}$ " male	1.40	20	SD-191	A	Screw Drvr., $\frac{3}{16}$ " stk. 8" blade	.90	57
SC-6	A	Crowfoot Attachment, $\frac{1}{2}$ "x $\frac{1}{2}$ "	1.65	20	SD-192	A	Screw Drvr., $\frac{1}{4}$ " stk. 3" blade	1.00	57
SC-8	A	Crowfoot Attachment, $\frac{5}{16}$ "x $\frac{1}{2}$ "	1.65	20	SD-193	A	Screw Drvr., $\frac{1}{4}$ " stk. 6" blade	1.05	57
SC-10	A	Crowfoot Attachment, $\frac{5}{8}$ "x $\frac{1}{2}$ "	1.65	20	SD-194	A	Screw Drvr., $\frac{1}{4}$ " stk. 10" blade	1.10	57
SC-12	A	Crowfoot Attachment, $\frac{11}{16}$ "x $\frac{1}{2}$ "	1.65	20	SD-195	A	Screw Drvr., $\frac{5}{16}$ " stk. 6" blade	1.30	57
SC-14	A	Crowfoot Attachment, $\frac{3}{4}$ "x $\frac{1}{2}$ "	1.90	20	SD-196	A	Screw Drvr., $\frac{5}{16}$ " stk. 12" blade	1.50	57
SD-2	A	Screw Drvr., $\frac{1}{8}$ " stk. 4" OA	.30	57	SD-197	A	Screw Drvr., $\frac{3}{8}$ " stk. 7" blade	1.75	57
SD-4	A	Screw Drvr., $\frac{1}{8}$ " stk. 5" blade	.40	57	SD-198	A	Screw Drvr., $\frac{3}{8}$ " stk. 18" blade	1.95	57
SD-6	A	Screw Drvr., $\frac{3}{16}$ " stk. 4" OA	.45	57	SD-401	A	Offset Screw Drvr. set, tools	2.55	55
SD-8	A	Screw Drvr., $\frac{3}{16}$ " stk. 3" blade	.60	57	SD-401K	A	Kit for above	.50	55
SD-10	A	Screw Drvr., $\frac{3}{16}$ " stk. 5" blade	.65	57	SD-401S	A	Offset Screw Drvr. set and kit	3.05	55
SD-12	A	Screw Drvr., $\frac{3}{16}$ " stk. 8" blade	.75	57	SDH-262	A	Screw Drvr. Hdl.	.12	56
SD-14	A	Screw Drvr., $\frac{1}{4}$ " stk. 4 $\frac{1}{2}$ " blade	.50	57	SDH-265	A	Screw Drvr. Hdl.	.30	56
SD-16	A	Screw Drvr., $\frac{1}{4}$ " stk. 3" blade	.85	57	SDH-270	A	Screw Drvr. Hdl.	.20	56
SD-18	A	Screw Drvr., $\frac{1}{4}$ " stk. 6" blade	.90	57	SDH-275	A	Screw Drvr. Hdl.	.35	56
SD-20	A	Screw Drvr., $\frac{1}{4}$ " stk. 10" blade	1.05	57	SDH-280	A	Screw Drvr. Hdl.	.45	56
SD-22	A	Screw Drvr., $\frac{5}{16}$ " stk. 6" blade	1.15	57	SDH-285	A	Screw Drvr. Hdl.	.80	56
SD-24	A	Screw Drvr., $\frac{5}{16}$ " stk. 12" blade	1.30	57	SE-2	A	Extension, 2"x $\frac{1}{2}$ " dr.	.85	19
SD-26	A	Screw Drvr., $\frac{3}{8}$ " stk. 7" blade	1.25	57	SE-4	A	Extension, 4"x $\frac{1}{2}$ " dr.	.90	19
SD-28	A	Screw Drvr., $\frac{3}{8}$ " stk. 12" blade	1.45	57	SE-6	A	Extension, 6"x $\frac{1}{2}$ " dr.	1.00	19
SD-30	A	Screw Drvr., $\frac{3}{8}$ " stk. 18" blade	1.55	57	SE-10	A	Extension, 10"x $\frac{1}{2}$ " dr.	1.40	19
SD-47	A	Offset Screw Drvr.	.60	55	SE-24	A	Extension, 24"x $\frac{1}{2}$ " dr.	2.25	19
					SE-30	A	Extension, 30"x $\frac{1}{2}$ " dr.	3.30	19



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
SH-8	A	Sliding Tee Hdl. 12"x $\frac{1}{2}$ " dr.	1.60	19	SM-12	A	Adaptor, $\frac{5}{8}$ "	2.50	78
SH-10	A	Sliding Tee Hdl. 16"x $\frac{1}{2}$ " dr.	1.85	19	SM-14	A	Adaptor, $\frac{3}{4}$ "	2.50	78
SH-12	A	Flex Hdl. 12"x $\frac{1}{2}$ " dr.	3.00	19	SM-15	A	Shell for Stud Remover	2.35	78
SH-13	A	Speed Hdl. 13"x $\frac{1}{2}$ " dr.	1.90	18	SMK-1		Stud Remover Set and Bx., $\frac{5}{16}$ " to $\frac{1}{2}$ "	6.90	78
SH-15	A	Flex. Hdl. 15"x $\frac{1}{2}$ " dr.	3.30	19	SMK-1B	C	Box only	.65	78
SH-17	A	Speed Hdl. 17"x $\frac{1}{2}$ " dr.	2.30	18			Rollers, ea.	.07	78
SH-18	A	Flex Hdl. 18"x $\frac{1}{2}$ " dr.	3.35	19	SMK-2		Stud Remover Set & Bx., $\frac{3}{16}$ " to $\frac{1}{4}$ "	10.75	78
SH-24	A	Flex Hdl. 24"x $\frac{1}{2}$ " dr.	3.75	19	SMK-2B	C	Box only	.90	78
SH-28	A	Speed Hdl. 28"x $\frac{1}{2}$ " dr.	2.70	18			Rollers, ea.	.10	78
SH-33	A	Speed Hdl. 33"x $\frac{1}{2}$ " dr.	3.05	18	SR-2	A	Ratchet, $\frac{1}{2}$ " dr.	4.50	18
SK-2		Jr. Soc. Set and Box $\frac{3}{8}$ " dr.	11.30	16	SR-5	A	Ratchet, $\frac{1}{2}$ " dr.	5.25	18
SK-2B	C	Box only	1.60	16	SR-10		Ratchet, $\frac{1}{2}$ " dr.	Disc.	18
SK-4	C	Box only	2.25	16	SR-10L		Hdl.	Disc.	18
SK-4A		Jr. Soc. Set and Box, $\frac{3}{8}$ " dr.	18.90	16	SR-12		Ratchet, $\frac{1}{2}$ " dr.	Disc.	18
SK-4B		Jr. Soc. Set and Box, $\frac{3}{8}$ " dr.	31.65	17	SR-12L		Hdl.	Disc.	18
SK-4C		Jr. Soc. Set and Box, $\frac{3}{8}$ " dr.	41.20	17	SR-15		Ratchet, $\frac{1}{2}$ " dr.	Disc.	18
SK-5		Socket Set and Tray, $\frac{1}{2}$ " dr.	10.60	21	SR-15A		Ratchet Hd. only	Disc.	18
SK-5T	C	Tray only	.60	21	SR-15L		Lg. Hdl.	Disc.	18
SK-6		Soc. Set and Tray, $\frac{1}{2}$ " dr.	12.95	21	SR-100		Ratchet Hd. and Hdls., $\frac{1}{2}$ " dr.	Disc.	18
SK-6T	C	Tray only	.60	21	SS-4	A	Soc. $\frac{1}{16}$ ", 12 pt. $\frac{1}{2}$ " dr.	.65	19
SK-9		Soc. Set and Box, $\frac{1}{2}$ " dr.	32.10	21	SS-6	A	Soc. $\frac{1}{8}$ ", 12 pt. $\frac{1}{2}$ " dr.	.65	19
SK-9B	C	Box only	2.45	21	SS-8	A	Soc. $\frac{3}{16}$ ", 12 pt. $\frac{1}{2}$ " dr.	.65	19
SK-14		Soc. Set and Box, $\frac{3}{4}$ " dr.	49.65	23	SS-9	A	Soc. $\frac{1}{2}$ ", 12 pt. $\frac{1}{2}$ " dr.	.65	19
SK-14B	C	Box only	3.75	23	SS-10	A	Soc. $\frac{5}{8}$ ", 12 pt. $\frac{1}{2}$ " dr.	.65	19
SK-16		Soc. Set and Box, 1" dr.	88.05	26	SS-11	A	Soc. $\frac{3}{4}$ ", 12 pt. $\frac{1}{2}$ " dr.	.65	19
SK-16B	C	Box only	5.50	26	SS-12	A	Soc. $\frac{11}{16}$ ", 12 pt. $\frac{1}{2}$ " dr.	.70	19
SK-20	C	Tool Box, Zone 1, 2, 3, 4	16.35	84	SS-14	A	Soc. $\frac{3}{4}$ ", 12 pt. $\frac{1}{2}$ " dr.	.75	19
SK-20	C	Tool Box, Zone 5 and 6	16.85	84	SS-15	A	Soc. $\frac{3}{4}$ ", 12 pt. $\frac{1}{2}$ " dr.	.75	19
SK-20T	C	Tray only	1.95	84	SS-16	A	Soc. $\frac{13}{16}$ ", 12 pt. $\frac{1}{2}$ " dr.	.75	19
SK-21	C	Tool Box, Zone 1, 2, 3, 4	11.80	84	SS-18	A	Soc. $\frac{7}{8}$ ", 12 pt. $\frac{1}{2}$ " dr.	.75	19
SK-21	C	Tool Box, Zone 5 and 6	12.30	84	SS-19	A	Soc. $\frac{3}{4}$ ", 12 pt. $\frac{1}{2}$ " dr.	.90	19
SK-21T	C	Tray only	1.85	84	SS-20	A	Soc. $\frac{15}{16}$ ", 12 pt. $\frac{1}{2}$ " dr.	.95	19
SK-22	C	Tool Box	5.85	84	SS-21	A	Soc. $\frac{3}{4}$ ", 12 pt. $\frac{1}{2}$ " dr.	1.00	19
SK-22T	C	Tray only	1.95	84	SS-22	A	Soc. 1", 12 pt. $\frac{1}{2}$ " dr.	1.00	19
SK-24	C	Tool Box, Zone 1, 2, 3, 4	33.90	86	SS-24	A	Soc. 1 $\frac{1}{8}$ ", 12 pt. $\frac{1}{2}$ " dr.	1.10	19
SK-24	C	Tool Box, Zone 5 and 6	35.40	86	SS-26	A	Soc. 1 $\frac{1}{8}$ ", 12 pt. $\frac{1}{2}$ " dr.	1.15	19
SK-24T	C	Tray only	2.45	86	SS-28	A	Soc. 1 $\frac{3}{8}$ ", 12 pt. $\frac{1}{2}$ " dr.	1.20	19
SK-40		Soc. Set and Tray, $\frac{3}{8}$ " dr.	6.15	15	SS-30	A	Soc. 1 $\frac{1}{4}$ ", 12 pt. $\frac{1}{2}$ " dr.	1.30	19
SK-40T	C	Tray only	.60	15	SS-41		Soc. $\frac{3}{16}$ ", 6 pt. $\frac{1}{2}$ " dr.	Disc.	19
SK-41		See Supplement for New SK-41 Set			SS-54	A	Soc. $\frac{1}{16}$ ", 6 pt. $\frac{1}{2}$ " dr.	.65	19
SK-41T		See Supplement for New SK-41 Set			SS-56	A	Soc. $\frac{1}{2}$ ", 6 pt. $\frac{1}{2}$ " dr.	.65	19
SK-42		Soc. Set and Tray, $\frac{3}{8}$ " dr.	8.35	15	SS-58	A	Soc. $\frac{3}{16}$ ", 6 pt. $\frac{1}{2}$ " dr.	.65	19
SK-42T	C	Tray only	.60	15	SS-59	A	Soc. $\frac{1}{2}$ ", 6 pt. $\frac{1}{2}$ " dr.	.65	19
SK-44		Soc. Set and Tray, $\frac{3}{8}$ " dr.	5.70	15	SS-60	A	Soc. $\frac{5}{8}$ ", 6 pt. $\frac{1}{2}$ " dr.	.65	19
SK-44T	C	Tray only	.60	15	SS-61	A	Soc. $\frac{3}{4}$ ", 6 pt. $\frac{1}{2}$ " dr.	.65	19
SK-45		Soc. Set and Tray, $\frac{1}{2}$ " dr.	13.20	21	SS-62	A	Soc. $\frac{11}{16}$ ", 6 pt. $\frac{1}{2}$ " dr.	.70	19
SK-45T	C	Tray only	.60	21	SS-64	A	Soc. $\frac{3}{4}$ ", 6 pt. $\frac{1}{2}$ " dr.	.75	19
SK-101		Soc. Set and Metal Box, $\frac{1}{4}$ " dr.	9.25	11	SS-65	A	Soc. $\frac{3}{8}$ ", 6 pt. $\frac{1}{2}$ " dr.	.75	19
SK-101B	C	Box only	.90	11	SS-66	A	Soc. $\frac{13}{16}$ ", 6 pt. $\frac{1}{2}$ " dr.	.80	19
SK-102		Soc. Set and Metal Box, $\frac{1}{4}$ " dr.	26.10	11	SS-68	A	Soc. $\frac{7}{8}$ ", 6 pt. $\frac{1}{2}$ " dr.	.80	19
SK-102B	C	Box only	1.55	11	SS-70	A	Soc. $\frac{15}{16}$ ", 6 pt. $\frac{1}{2}$ " dr.	.95	19
SM-1	A	Adaptor, $\frac{1}{8}$ "	1.25	78	SS-72	A	Soc. 1", 6 pt. $\frac{1}{2}$ " dr.	1.00	19
SM-2	A	Adaptor, $\frac{3}{8}$ "	1.25	78	SS-74	A	Soc. 1 $\frac{1}{8}$ ", 6 pt. $\frac{1}{2}$ " dr.	1.10	19
SM-3	A	Adaptor, $\frac{1}{2}$ "	1.25	78	SS-82	A	Soc. $\frac{1}{8}$ ", 8 pt. $\frac{1}{2}$ " dr.	.70	19
SM-4	A	Adaptor, $\frac{1}{2}$ "	1.25	78	SS-83	A	Soc. $\frac{1}{2}$ ", 8 pt. $\frac{1}{2}$ " dr.	.70	19
SM-5	A	Shell for Stud Remover	1.25	78	SS-84	A	Soc. $\frac{3}{16}$ ", 8 pt. $\frac{1}{2}$ " dr.	.75	19
SM-11	A	Adaptor, $\frac{5}{8}$ "	2.50	78	SS-85	A	Soc. $\frac{5}{8}$ ", 8 pt. $\frac{1}{2}$ " dr.	.85	19



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
ST-6	B	Spring Tester	17.75	76	TC-65	C	Tool Cabinet, Zone 5 and 6	43.45	86
SU-1	A	Universal Joint, 1/2" dr.	1.90	20	TC-75	C	Tool Cabinet, Zone 1, 2, 3, 4	78.30	85
SU-4	A	Universal Soc., 1/8", 12 pt. 1/2" dr.	1.80	20	TC-75	C	Tool Cabinet, Zone 5 and 6	84.30	85
SU-6	A	Universal Soc., 1/2", 12 pt. 1/2" dr.	1.80	20	TC-75L	C	Elec. Attachments	30.30	85
SU-8	A	Universal Soc., 3/8", 12 pt. 1/2" dr.	1.80	20	TD-2	C	Tap Wr. "T" Type	.40	79
SU-10	A	Universal Soc., 5/8", 12 pt. 1/2" dr.	1.85	20	TD-4	C	Adj. Tap Wr.	.25	79
SU-12	A	Universal Soc., 1 1/8", 12 pt. 1/2" dr.	1.90	20	TD-6	C	11" Adj. Tap Wr.	6.65	80
SU-14	A	Universal Soc., 3/4", 12 pt. 1/2" dr.	1.90	20	TD-8	C	15" Adj. Tap Wr.	7.60	80
SU-54	A	Universal Soc., 1/8", 6 pt. 1/2" dr.	1.80	20	TD-10	C	19" Adj. Tap Wr.	9.50	80
SU-56	A	Universal Soc., 1/2", 6 pt. 1/2" dr.	1.80	20	TE-2	A	Extension, 2"x1/4"	.45	10
SU-58	A	Universal Soc., 3/8", 6 pt. 1/2" dr.	1.85	20	TE-4	A	Extension, 4"x1/4"	.50	10
SU-60	A	Universal Soc., 5/8", 6 pt. 1/2" dr.	1.85	20	TF-25	G	Torque Wr.	51.50	77
SU-62	A	Universal Soc., 1 1/8", 6 pt. 1/2" dr.	1.90	20	TF-50	G	Torque Wr.	51.50	77
SU-64	A	Universal Soc., 3/4", 6 pt. 1/2" dr.	1.90	20	TF-100-I	G	Torque Wr.	51.50	77
SW-3		Stromberg Carb. Jet Wr.	Disc.	27	TF-300	G	Torque Wr.	75.00	77
SW-5		Stromberg Carb. Jet Wr.	Disc.	27	TF-300-I	G	Torque Wr.	51.50	77
SW-7	A	Carb. Jet Wr.	1.20	27	TF-600	G	Torque Wr.	90.00	77
SW-9	A	Carb. Jet Wr.	1.30	27	TF-600-I	G	Torque Wr.	51.50	77
SW-11	A	Carb. Jet Wr.	1.30	27	TF-3600-I	G	Torque Wr.	75.00	77
SW-13	A	Trico Wiper Wr.	1.30	27	TF-7200-I	G	Torque Wr.	90.00	77
SW-29	A	Ford Water Pump Wr.	1.10	46	TG-6	B	Toe-In Tram Stick	12.50	67
SW-51	A	Universal Drain Plug Wr.	1.50	54	TG-7	B	Toe-In Tram Stick	12.50	67
SW-60	C	Torque Wr., 0-100 ft. lbs. 1/2" dr.	14.95	76	TG-8	B	Toe-In Tram Stick	12.50	67
T-5	C	1/4 - 20 Plug Tap	.35	79	TH-6	A	Slide Tee Hdl., 1/4" dr.	.65	10
T-10	C	1/8 - 18 Plug Tap	.40	79	TH-8	A	Flex. Hdl., 1/4" dr.	1.40	10
T-15	C	3/8 - 16 Plug Tap	.40	79	TH-10	A	Tiny "Spin" Hdl., 1/4" dr.	.70	10
T-20	C	7/16 - 14 Plug Tap	.50	79	TK-1		Motor Tune-Up Set and Box	19.85	82
T-25	C	1/2 - 13 Plug Tap	.55	79	TK-1B	C	Box only	1.80	82
T-30	C	1/4 - 28 Plug Tap	.35	79	TL-1	B	Timing Light	4.50	82
T-35	C	5/16 - 24 Plug Tap	.40	79	TL-18	B	Steelgrip Fan Propeller Puller	11.20	98
T-40	C	3/8 - 24 Plug Tap	.40	79	TR-1	A	Tool No. now TR-5		
T-45	C	7/16 - 20 Plug Tap	.50	79	TR-5	A	Ratchet, 1/4" dr.	2.10	10
T-50	C	1/2 - 20 Plug Tap	.55	79	TS-3	A	Soc., 3/8", 6 pt. 1/4" dr.	.30	10
T-55	C	1/8 Pipe Tap	.40	79	TS-5	A	Soc., 7/32", 6 pt. 1/4" dr.	.30	10
T-60	C	1/4 - 20 Plug Tap	.70	80	TS-6	A	Soc., 1 1/8", 6 pt. 1/4" dr.	.30	10
T-65	C	5/16 - 18 Plug Tap	.80	80	TS-7	A	Soc., 1/4", 6 pt. 1/4" dr.	.30	10
T-70	C	3/8 - 16 Plug Tap	.85	80	TS-8	A	Soc., 1 1/4", 6 pt. 1/4" dr.	.30	10
T-75	C	7/16 - 14 Plug Tap	1.05	80	TS-9	A	Soc., 3/8", 6 pt. 1/4" dr.	.30	10
T-80	C	1/2 - 13 Plug Tap	1.20	80	TS-11	A	Soc., 5/16", 6 pt. 1/4" dr.	.30	10
T-85	C	5/16 - 12 Plug Tap	1.40	80	TS-13	A	Soc., 1 1/2", 6 pt. 1/4" dr.	.30	10
T-90	C	5/8 - 11 Plug Tap	1.55	80	TS-15	A	Soc., 3/4", 6 pt. 1/4" dr.	.30	10
T-95	C	3/4 - 10 Plug Tap	2.20	80	TS-18	A	Soc., 1/8", 6 pt. 1/4" dr.	.30	10
T-100	C	7/8 - 9 Plug Tap	2.90	80	TS-43	A	Soc., 3/8", 8 pt. 1/4" dr.	.30	10
T-105	C	1 - 8 Plug Tap	3.65	80	TS-47	A	Soc., 1/4", 8 pt. 1/4" dr.	.30	10
T-110	C	1/4 - 28 Pipe Tap	.70	80	TS-51	A	Soc., 1/8", 8 pt. 1/4" dr.	.30	10
T-115	C	5/16 - 24 Plug Tap	.80	80	TS-63	A	Plymouth Panel Nut Soc.	.45	10
T-120	C	3/8 - 24 Plug Tap	.85	80	TW-0	A	Tappet Wr., 3/8"	.75	37
T-125	C	7/16 - 20 Plug Tap	1.05	80	TW-1	A	Tappet Wr., 3/8"	.75	37
T-130	C	1/2 - 20 Plug Tap	1.20	80	TW-2	A	Tappet Wr., 1/8"	.75	37
T-135	C	5/16 - 18 Plug Tap	1.40	80	TW-3	A	Tappet Wr., 1/8"	1.00	37
T-140	C	5/8 - 18 Plug Tap	1.55	80	TW-5	A	Tappet Wr., 1/2"	1.00	37
T-145	C	3/4 - 16 Plug Tap	2.20	80	TW-6	A	Tappet Wr., 1/2"	.90	37
T-150	C	7/8 - 14 Plug Tap	2.90	80	TW-7	A	Tappet Wr., 1/2"	1.00	37
T-155	C	1 - 14 Plug Tap	3.65	80	TW-8	A	Tappet Wr., 1 1/2"	.90	37
T-160	C	1/8 Pipe Tap	.95	80	TW-10	A	Tappet Wr., 3/8"	1.00	37
TA-5	A	Adaptor, 3/8" female x 1/4" male	.45	14	TW-16	A	Tappet Wr., 5/8"	1.00	37
TA-7	A	Adaptor, 3/8" female x 3/32" male	.45	14	TW-18	A	Tappet Wr., 3 1/2"	1.15	37
TC-2	A	Tube Cutter	1.35	14	TW-20	A	Tappet Wr., 1 1/8"	1.00	37
TC-65	C	Tool Cabinet, Zone 1, 2, 3, 4	41.95	86					



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
TW-26	A	Tappet Wr., $\frac{3}{4}$ "	1.05	37	WK-9S	A	Set Comb. Wr. and Kit	14.55	33
TW-28	A	Tappet Wr., $\frac{13}{16}$ "	1.05	37	WK-10	A	Set Tappet Wr., tools only	7.85	37
TW-30	A	Tappet Wr., $\frac{7}{8}$ "	1.15	37	WK-10K	A	Kit only	.70	37
TW-32	A	Tappet Wr., $\frac{15}{16}$ "	1.15	37	WK-10S	A	Set Tappet Wr. and Kit	8.55	37
TW-34	A	Tappet Wr., 1"	1.25	37	WK-14	A	Set Tappet Wr., tools only	11.45	37
TW-42	A	Tappet Wr., $\frac{7}{8}$ "x $\frac{1}{2}$ "	1.15	37	WK-14K	A	Kit only	.80	37
TW-44	A	Tappet Wr., $\frac{1}{8}$ "x $\frac{17}{32}$ "	1.15	37	WK-14S	A	Set Tappet Wr. and Kit	11.10	37
TW-46	A	Tappet Wr., $\frac{1}{2}$ "x $\frac{3}{16}$ "	1.15	37	WK-15	B	Ignition Wr. Set, tools	6.60	27
TW-48	A	Tappet Wr., $\frac{3}{16}$ "x $\frac{5}{8}$ "	1.30	37	WK-15K	B	Kit only	.30	27
TW-50	A	Tappet Wr., $\frac{5}{8}$ "x $\frac{11}{16}$ "	1.30	37	WK-15S	B	Ignition Wr. Set and Kit	6.90	27
TW-52	A	Tappet Wr., $\frac{11}{16}$ "x $\frac{3}{4}$ "	1.40	37	WK-17	A	Set Jr. End Wr., tools	2.05	30
TW-54	A	Tappet Wr., $\frac{3}{4}$ "x $\frac{13}{16}$ "	1.60	37	WK-17K	A	Kit only	.30	30
TW-56	A	Tappet Wr., $\frac{7}{8}$ "x1"	1.60	37	WK-17S	A	Set Jr. End Wr. and Kit	2.35	30
TW-86	A	Tappet Wr., $\frac{1}{2}$ "x $\frac{3}{16}$ "	1.20	37	WK-18	A	Set End Wr., tools	3.35	30
U-14	D	14" File Blade	2.95	70	WK-18K	A	Kit only	.30	30
U-4146	D	Set 6 Files and Holder	17.55	70	WK-18S	A	Set End Wr. and Kit	3.65	30
UHP-1		Universal Hd. Puller	Disc.	78	WK-20	A	Set End Wr., tools	7.80	31
UHP-3		Set Universal Hd. Puller	Disc.	78	WK-20K	A	Kit only	1.10	31
VG-1	B	Vacuum Gauge	7.25	82	WK-20S	A	Set End Wr. and Kit	8.90	31
VL-1	C	Ford Valve Guide Jack	5.15	43	WK-22	A	Set End Wr., tools	8.00	31
VT-2	A	Ford Valve Guide Punch	1.75	43	WK-22K	A	Kit only	1.10	31
VT-8	A	Valve Grinding Guide	1.20	43	WK-22S	A	Set End Wr. and Kit	9.10	31
VT-10	A	Valve Grinder, complete	2.70	44	WK-24	A	Set End Wr., tools	9.80	31
VT-11	A	Vacuum Cup	.30	44	WK-24K	A	Kit only	.50	31
VT-12	A	Spring	.25	44	WK-24S	A	Set End Wr. and Kit	10.30	31
VT-13	A	Adaptor	.20	44	WK-25	A	Set Allen Wr.	.90	54
VT-14	A	Adaptor	.20	44	WK-26	A	Set End Wr., tools	19.90	31
VT-15	A	Adaptor	.20	44	WK-26K	A	Kit only	.95	31
VT-16	A	Valve Guide Lock Remover	1.80	43	WK-26S	A	Set End Wr. and Kit	20.85	31
VT-17	A	Valve Lifter	3.35	43	WK-30	A	Set Angle Wr., tools	4.60	29
VT-20	A	Valve Guide Cleaner	.75	42	WK-30K	A	Kit only	.50	29
VT-21	B	Valve Key Replacer	1.95	42	WK-30S	A	Set Angle Wr. and Kit	5.10	29
VT-24	B	Valve Lifter	1.85	42	WK-31	A	Set Angle Wr., tools	5.40	29
WB-4	A	4" Wire Wheel	3.05	58	WK-31K	A	Kit only	.60	29
WB-6	A	6" Wire Wheel	4.65	58	WK-31S	A	Set Angle Wr. and Kit	6.00	29
WB-8	A	8" Wire Wheel	5.60	58	WK-33	A	Set Angle Wr., tools	9.30	29
WBA-2	A	Arbor Plate for above, pr.	.25	58	WK-33K	A	Kit only	.90	29
WBA-3	A	Drill Chuck Adaptor	.85	58	WK-33S	A	Set Angle Wr. and Kit	10.20	29
WCB-1	A	Carbon Cleaning Brush	2.20	58	WK-34	A	Set Angle Wr., tools	13.60	29
WK-2	A	Set Box Wr., tools only	6.30	34	WK-34K	A	Kit only	1.40	29
WK-2K	A	Kit only	.60	34	WK-34S	A	Set Angle Wr. and Kit	15.00	29
WK-2S	A	Set Bx. Wr., and Kit	6.90	34	WK-35	A	Set Comb. Wr., tools	24.55	33
WK-4	A	Set Box Wr., tools only	10.50	34	WK-35K	A	Kit only	3.30	33
WK-4K	A	Kit only	.50	34	WK-35S	A	Set Comb. Wr. and Kit	27.85	33
WK-4S	A	Set Box Wr. and Kit	11.00	34	WK-36	A	Set Comb. Wr., tools	27.15	29
WK-5	A	Set Box Wr., tools only	16.95	34	WK-36K	A	Kit only	.95	29
WK-5K	A	Kit only	.70	34	WK-36S	A	Set Comb. Wr., and Kit	28.10	29
WK-5S	A	Set Box Wr. and Kit	17.65	34	WK-37	A	Set Comb. Wr., tools	37.30	33
WK-7	A	Set Comb. Wr., tools only	5.85	32	WK-37K	A	Kit only	1.90	33
WK-7K	A	Kit only	.50	32	WK-37S	A	Set Comb. Wr. and Kit	39.20	33
WK-7S	A	Set Comb. Wr. and Kit	5.60	32	X-1	A	Brake Tool, $\frac{3}{8}$ "x8"	.90	39
WK-8	A	Set Comb. Wr., tools only	4.15	32	X-2	A	Brake Tool, $\frac{3}{8}$ "x7 $\frac{1}{2}$ "	.90	39
WK-8K	A	Kit only	.40	32	X-7	A	Bendix Brake Tool	.90	39
WK-8S	A	Set Comb. Wr. and Kit	4.55	32	X-9	A	Hydraulic Brake Clip	.30	40
WK-9	A	Set Comb. Wr., tools only	13.80	33	X-10	A	Pump Packing Hook	1.15	46
WK-9K	A	Kit only	.75	33	X-13	C	Thread Restorer	2.20	66
					X-14	C	Thread Restorer	2.20	66
					X-30	A	Wire Brush	.55	58
					X-32	A	Four-Way Wheel Wr.	1.50	40



Tool No.	Symbol	Description	Price	Page	Tool No.	Symbol	Description	Price	Page
X-48	A	Brake Clevis Pin Tool	2.00	40	X-1207M	D	File Holder and Blade	2.95	70
X-49	A	Brake Clevis Pin Tool	2.00	40	X-1207S	D	File Holder and Blade	2.95	70
X-51	A	Ford Shock Link Separator	2.75	40	Y-1	A	Jr. Hack Saw, 9½"	.50	59
X-53	A	Pitman Arm Remover	2.95	40	Y-3	A	Jr. Hack Saw	.90	59
X-55	A	Hub Cap Remover	1.75	38	Y-5	A	Jr. Hack Saw	.90	59
X-56	C	Hub Cap Remover	1.65	38	Y-6	A	Doz. Blades for Y-1, Y-3 and Y-5	1.35	59
X-406	D	File Holder and Blade	3.90	70	Y-10	A	Blades, dz.	1.35	59
X-414	D	File Holder and Blade	5.10	70	Y-10S	A	Blades, ea.	.50	59
X-612S	D	File Holder and Blade	3.70	70	Y-12	A	Blades, dz.	1.65	59
X-912	D	File Holder and Blade	3.65	70	Y-12S	A	Blades, ea.	.60	59
X-1012	D	File Holder and Blade	3.65	70	Y-15	A	Hack Saw Frame	2.35	59
X-1207F	D	File Holder and Blade	2.95	70	Y-16	C	Hack Saw Frame	2.50	59



# SUPPLEMENTARY LIST

**NOTE: The Following Items Do Not Appear In Catalog No. 25**

Tool No.	Symbol	Description	Price	Tool No.	Symbol	Description	Price
1R-19B	A	Ford Connecting Rod Socket	.55	101	C	Compressor Band "All Power"	.20
#1	C	Body Hammer Handle	.34	101P	C	Special Pliers "All Power"	.50
#2	C	Body Hammer Handle	.34	101FS	C	Ford Special Band "All Power"	.30
#3	C	Body Hammer Handle	.34	101CS	C	Set Package "All Power"	1.50
<b>8 Point Sockets (for power or hand use)</b>				102V	C	Ford V-8 Valve Ass. "All Power"	2.40
2R-1	A	1/4" 8 Pt. 3/8" Sq. Dr. 8 Pt. Soc.	.45	102VL	C	Valve Stem Hold. Tool "All Power"	.20
2R-1A	A	3/8" 8 Pt. 3/8" Sq. Dr. 8 Pt. Soc.	.50	104RR	C	Ridge Reamer "All Power"	9.00
2R-2	A	5/16" 8 Pt. 3/8" Sq. Dr. 8 Pt. Soc.	.45	104RRB	C	Cut'r Blade for above "All Power"	2.00
2R-3	A	3/8" 8 Pt. 3/8" Sq. Dr. 8 Pt. Soc.	.45	104-2-SP	C	Size Plate "All Power"	.75
2R-4	A	3/8" 8 Pt. 1/2" Sq. Dr. 8 Pt. Soc.	.55	104-3-SP	C	Size Plate "All Power"	1.00
2R-5	A	7/16" 8 Pt. 3/8" Sq. Dr. 8 Pt. Soc.	.50	105-G	C	Prec. Con. Rod Gauge "All Power"	8.00
2R-6	A	7/16" 8 Pt. 1/2" Sq. Dr. 8 Pt. Soc.	.55	149	C	13 oz. Shrinking Hammer	2.75
2R-7	A	1/2" 8 Pt. 3/8" Sq. Dr. 8 Pt. Soc.	.50	162	C	9 oz. Shrinking Hammer	2.20
2R-8	A	1/2" 8 Pt. 1/2" Sq. Dr. 8 Pt. Soc.	.55				
2R-9	A	5/16" 8 Pt. 1/2" Sq. Dr. 8 Pt. Soc.	.65	200	A-1	Water Pump Pliers, 9 1/2", Welloct	2.25
2R-10	A	5/8" 8 Pt. 1/2" Sq. Dr. 8 Pt. Soc.	.65	204 SHD	C	Slide Hammer Driver, All Power	5.70
6"	Net	Plastic Ins. Grips for Welloct Pliers	.30	205 VP	C	Valve Puller, All Power	3.50
8"	Net	Plastic Ins. Grips for Welloct Pliers	.35	207	A-1	Battery Pliers, 7", Welloct	1.65
10	C	Bantam Bully Air Hammer	62.50	210	A-1	General Purpose Pliers, 10", Welloct	1.90
14	C	Hunt Pilot Bearing Puller (Univ.)	6.00	216	A-1	General Purpose Pliers, 6", Welloct	1.30
14A	C	Hunt Pilot Bearing Puller and Grease Retainer (with both sets of jaws)	8.00	218	A-1	General Purpose Pliers, 8", Welloct	1.60
42HC	C	Upholstering Hammer with Claw	2.25	290	A-1	Heavy Duty Water Pump Pliers, 9 1/2", Welloct	2.50
50	C	Battery Terminal Puller, Hunt	2.00	292	A-1	Extra Heavy Duty Pipe Type Pliers, 12", Welloct	3.25
50	B	Voltage Regulator Tool	.65				
50AG	C	Hex Tap and Die Set (to 1/2"). See VD series for individual parts	15.25	500	C	DeL. Piston Groove Clnr., All Power	3.50
52	C	Ford Fly Wheel Tool	1.65	500C	C	Cut'r Blades for above, All Power	.75
55	A	Screw Extractor Set	3.00	606	A-1	6" Linem'ns Pliers	2.20
59	A	Screw Extractor Set with Drills	6.40	607	A-1	7" Linem'ns Pliers	2.30
60	C	Hunt Pinion Shaft Puller	11.00	608	A-1	8" Linem'ns Pliers	3.10
70	C	Steering Arm Puller (Replac. P-48)	5.00	615	A-1	5" Diagonal Pliers	1.65
72	D	Bushing Driver Set	5.00	616	A-1	6" Diagonal Pliers	2.15
77	C	Differential Puller (With bearing race jaws only)	12.00	617	A-1	7" Diagonal Pliers	2.60
77-3	C	Differential Bearing Race Puller	18.00				
95	C	Hunt Univ. Timk. Bear. Cup Puller	8.50	1093	C	Medium Calking Iron	1.45
99	C	Hunt Univ. Hub Wheel Puller	10.00				
100	C	Piston Ring Cleaner "All Power"	.90	2088	C-1	Flat Coarse Bump File	1.10
100C	C	Cut'r Blade for above "All Power"	.30	2089	C-1	Flat Medium Bump File	1.10
				2090	C-1	Half Round Medium Bump File	1.10
				2890S	C-1	Set. Consisting of 2088, 2089, 2090	3.30
				10300	C	Pinion Puller	10.80



Tool No.	Symbol	Description	Price	Tool No.	Symbol	Description	Price
A-20	C	Breaker Arm Surfacers (Auto-Lite)	1.00	F-200-K	C	Ford Motor Overhaul Tool Kit (AP)	
AA-20L	C	Adaptors for Wh. Puller #WP-20	3.00	F-201-KO	C	Ford Valve Knock-out (AP)	6.50
AJ-18	C	Adjustable Wrench, 18"	9.10	F-201-GHC	C	Ford Valve Guide Hole Clnr. (AP)	2.00
AJ-24	C	Adjustable Wrench, 24"	14.90	F-203-KE	C	Ford Valve Gd. Kpr. Extractor (AP)	2.80
				F-204-DP	C	Ford V-8 Drive Plug (AP)	1.90
				F-204-60-DP	C	Ford 60 Drive Plug (AP)	1.90
BB-50	C	Main Vent Tube Remover and Installer (Carter Carb.)	1.40	FA-22	C	Ford Adaptor for WP-20	4.35
BP-101	D	Chevrolet Valve Guide Remover and Insertor	1.00	FC-500	A	Fender Cover (Plastic)	2.25
BP-102	D	Buick Valve Guide Remover and Insertor	1.25	FHR	C	Replacement Hd. for Air Hammer	43.75
BR-4	A	48 Chevy Truck Hub Bolt Riveter	1.45	FH3F	C	Air Ham. Arm for Skirt Fenders	19.10
BT-703-A	C	Bushing Extracting & Repl. Set (3/8" to 1 1/8" I.D.)	9.95	FHTF	C	Air Ham. Arm for Turret Tops	25.05
BW-1	A	1/4" to 1 1/8" Box Wrench	.80	FT-5	C	Flaring Tool	3.65
BW-58	A	1 1/8" x 1 5/8" Box Wrench	6.75	FT-10	B	Flaring Tool	4.25
				FT-15	C	Flaring Tool (PAPCO)	9.40
				FW-5	C	Flywheel Crank	1.95
C-204 DP	C	Chev. 1937-45 Dr. Plug Set (AP)	7.60	GC-50	B	Generator Clamp	5.50
CA-10	C	Clutch Aligning Tool (Univ.)	5.00	HA-12	A	Adapter 5/8" Female x 3/4" Male	1.15
CD-7G	D	Reg. Type G Figure Clutch Head Hand Driver	.65	HDS-16	A	1 5/8" Opg. 12 pt. 3/4" Dr. HD DS	2.55
CD-9G	D	Reg. Type G Figure Clutch Head Hand Driver	.65	HDS-18	A	1 3/8" Opg. 12 pt. 3/4" Dr. HD DS	2.70
CD-11G	D	Reg. Type G Figure Clutch Head Hand Driver	.80	HDS-22	A	1 1/2" Opg. 12 pt. 3/4" Dr. HD DS	3.50
CH-10	B	Br. Cyl. Hone (3/4" to 1")	3.90	HG-1-60	D	Wire Ga. Drills in Metal Box (HS)	25.10
CH-20	B	Br. Cyl. Hone (1" to 1 1/2")	3.90	HG-61-80	D	Wire Ga. Drills in Metal Box (HS)	8.55
CH-30	B	Br. Cyl. Hone (1 1/2" to 2")	4.15				
CH-50	B	Br. Cyl. Hone Set 3/4" to 2" (CH-50 includes CH-10, 20 and 30)	11.95	HR-2	A	3/4" Drive Reversible Ratchet	12.75
CH-80	B	Br. Cyl. Hone (For Blind Cyls.)	3.90				
CH-100	B	Wilco Dual Brake Cyl. Hone	15.00				
CP-17	C	Grease and Dust Cap Puller	3.95				
CW-28	A	1 3/8" x 1 3/8" Comb. Wr.	3.10				
CW-32	A	1 5/8" x 1 5/8" Comb. Wr.	3.30				
CW-47	A	3/8" Spec. Bend Comb. Wr.	1.10				
CW-49	A	1/8" Spec. Bend Comb. Wr.	1.15				
CW-51	A	1/2" Spec. Bend Comb. Wr.	1.20				
CW-53	A	3/16" Spec. Bend Comb. Wr.	1.25				
CW-55	A	5/8" Spec. Bend Comb. Wr.	1.35				
D-15	C	Breaker Arm Surfacers (Delco)	1.00				
DA-40	C	Contact Point Aligner	.90				
DTS-3	A	3/16" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-5	A	3/8" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-7	A	1/4" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-9	A	9/32" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-11	A	5/16" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-13	A	11/32" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-15	A	3/8" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-18	A	1/2" Hex Deep Socs. 1/4" Sq. Dr.	.70				
DTS-23	A	Carburetor Jet Wrench (Stromberg-Ford)	.85				
DTS-25	A	Carburetor Jet Wrench (Stromberg-All Others)	.85				







Tool No.	Symbol	Description	Price	Tool No.	Symbol	Description	Price
PLASTIC (NUPLA) HAMMERS							
NOTE: 1. Prices below are for complete units including two Nuplaflex or Nuplan (Nylon) Tips;							
2. "Nuplaflex" may be obtained in three hardnesses as follows:							
"S" stands for Soft							
"M" stands for Medium							
"T" stands for Tough							
3. "Nuplan" or Nylon may be obtained in only one hardness as follows:							
"N" stands for Nylon							
4. In ordering use appropriate suffix. Example PH-200S means with soft tips, PH-200N means with Nylon tips, etc.							
Tool No.	With Nuplaflex Tip	Price	With Nylon Tip	Price	Weight	Description Head Dia.	Hdl. Lgth.
PH-100	S, M or T	\$ 2.40	N	\$ 3.00	5 oz.	1"	11 3/8"
PH-105	S, M or T	2.85	N	3.30	8 oz.	1"	11 3/8"
PH-150	S, M or T	3.60	N	5.30	3/4 lb.	1 1/2"	13"
PH-155	S, M or T	4.20	N	5.60	1 1/4 lb.	1 1/2"	13"
PH-200	S, M or T	4.80	N	7.60	1 1/4 lb.	2"	14"
PH-205	S, M or T	5.40	N	8.20	2 lb.	2"	14"
PH-207	S, M or T	6.60	N	9.00	3 lb.	2"	14"
PH-250	S, M or T	7.80	N	12.00	2 lb.	2 1/2"	15"
PH-255	S, M or T	9.00	N	12.60	4 lb.	2 1/2"	18"
PH-300	S, M or T	12.00	N	19.35	3 1/2 lb.	3"	18"
PH-305	S, M or T	15.00	N	20.50	6 lb.	3"	21"
PH-307*	S, M or T	20.00	N	26.50	9 lb.	3"	28"
PH-308*	S, M or T	22.50	N	29.00	12 lb.	3"	36"
*Steel Head, not Sparkproof							
TIPS ONLY FOR PLASTIC (NUPLA) HAMMERS							
See Notes No. 2, 3 and 4 Above							
Tool No.	Nuplaflex Tips Only	Price Each Tip	Nylon Tips Only	Price Each Tip	Description		
PH-10	S, M or T	\$ .60	N	\$ .90	For PH-100 & PH-105		
PH-15	S, M or T	1.00	N	1.70	For PH-150 & PH-155		
PH-20	S, M or T	1.50	N	2.75	For PH-200, PH-205 & PH-207		
PH-25	S, M or T	2.75	N	4.50	For PH-250 & PH-255		
PH-30	S, M or T	4.15	N	8.30	For PH-300, PH-305, PH-307 & PH-308		
See HPH Series for Heavy Duty Hammers							
PSS-10	B	Screw Starter, 8" Thin Shk. & Nib			1.70		
PSS-10B	B	Screw Starter, 8" Thick Shk. & Nib			1.70		
PSS-15	B	Screw Starter, 6" Thin Shk. & Nib			1.60		
PSS-15B	B	Screw Starter, 6" Thick Shk. & Nib			1.60		
PSS-20	B	Screw Starter, 4" Thin Shk. & Nib			1.50		
PSS-20B	B	Screw Starter, 4" Thick Shk. & Nib			1.50		
PT-10	B	Studebaker Piston Pin Tool			1.95		
RC-10	C	Ring Comp., Spec. Lock. Device			3.50		
RC-150T	A	Ring Comp. for Trucks, (3 1/2" to 7")			6.00		
PISTON INSERTER							
RC-260	A	2.6" Diameter			2.00		
RC-300	A	3" Diameter			2.00		
RC-306	A	3 1/8" Diameter			2.00		
RC-306A	A	3 1/8" Special Diameter			3.00		
RC-309	A	3 3/8" Diameter			2.00		
RC-312	A	3 1/2" Diameter			2.00		
RC-318	A	3 1/8" Diameter			2.00		
RC-318A	A	3 1/8" Special Diameter			3.00		
*RC-318M	A	3 1/8" Cutaway Diameter			3.00		
RC-325	A	3 1/4" Diameter			2.00		
RC-331	A	3 1/8" Diameter			2.00		
RC-337	A	3 3/8" Diameter			2.00		
RC-343	A	3 1/8" Diameter			2.00		
RC-350	A	3 1/2" Diameter			2.00		
RC-356	A	3 3/8" Diameter			2.00		
*RC-318M is a special for all 100 H.P. Ford V-8 engines.							
R-87	C	Brake Lock Cap Remover			.65		
RM-50	C	Brake Riveting Machine			*		
RP-700	D	Reed Prince S.D. 3"x1 3/8"			.50		
RP-705	D	Reed Prince S.D. 1 1/2"x1 1/4"			.50		
RP-710	D	Reed Prince S.D. 4"x1 1/4"			.50		
RP-715	D	Reed Prince S.D. 6"x1 5/8"			.65		
RP-720	D	Reed Prince S.D. 8"x3/8"			.90		
SD-101M		Screw Driver Set including 7 drivers (Wood Handle)			*		
SD-201M		Screw Driver Set as above (Pyrolin Handle)			*		
SK-31	A	Socket Hldr. for 3/4" Dr.			1.35		
SK-32	A	Socket Hldr. for 1/2" Dr.			1.35		
SK-41	Set inc.	JDS-66, 68, 70, 12, 14, 16, 18			5.40		
SK41T		Tray Only			.60		
SK-46	Set inc.	JDS-9, 11, 15, 19, 21, 23, 25, 27			8.25		
SK46T		Tray Only			.60		
SK-47	Set inc.	JDS-72, 75, 76, 78, 80, 83, 85, 87			8.25		
SK47T		Tray Only			.60		
SP-5	B	Solder Paddle Narrow Blade			.65		
SP-10	B	Solder Paddle Wide Blade			.75		
SP-15	B	Solder Paddle Half-Round Blade			.65		
SR-4R	A	1/2" Dr. Ratchet Extension			1.60		
SR-6	A	1/2" Dr. Ratchet (15" long)			6.10		
SS-500	C	Spring Spreader			9.95		
SW-15	A	1 5/8" Opg. Ford Caster & Camber Upper Adj. Wrench			1.75		
SW-16	A	1 3/8" Opg. Ford Caster & Camber Lower Adj. Wrench			1.10		
TC-5	C	Tube Cutter			2.25		
TC-15	C	DeLuxe Tube Cutter (PAPCO)			4.75		
TH-12	A	Spin Handle			.90		
TW-62	A	1 1/8" Tappet Wr. 1 1/8" head, heavy duty single end (Hercules)			1.65		
TW-64	A	1 1/2" Tappet Wr. 1 1/8" head, heavy duty single end (Hercules)			1.65		
TW-70	A	3/4" Tappet Wr. for Kaiser-Frazer			1.25		
TW-72	A	7/8" Tappet Wr. for Kaiser-Frazer			1.25		
V-250	C	Locking Tool			.50		
INDIVIDUAL PRICES FOR 50 AG SET							
VDH-2	C	Die Stock			1.75		
VTD-4	C	Adjustable Tap Wrench			.80		
VD-5	C	1/4"-20 Die			.55		
VD-10	C	5/16"-18 Die			.55		
VD-15	C	3/8"-16 Die			.55		
* Price on Inquiry							



**G. B. FARISS**

DISTRIBUTOR

1025 BUTTER ST., SAN FRANCISCO, 9

PHONE - GRAYSTONE 4-2966

Tool No.	Symbol	Description	Price	Tool No.	Symbol	Description	Price
VD-20	C	$\frac{1}{8}$ "-14 Die	.55	29	E		.35
VD-25	C	$\frac{1}{4}$ "-13 Die	.55	30	E		.35
VD-30	C	$\frac{1}{4}$ "-28 Die	.55	31	E		.32
VD-35	C	$\frac{1}{8}$ "-24 Die	.55	32	E		.32
VD-40	C	$\frac{3}{8}$ "-24 Die	.55	33	E		.32
VD-45	C	$\frac{1}{8}$ "-20 Die	.55	34	E		.31
VD-50	C	$\frac{1}{2}$ "-20 Die	.55	35	E		.31
VD-55	C	$\frac{1}{8}$ " Pipe Die	.55	36	E		.30
VT-5	C	$\frac{1}{4}$ "-20 Tap	.30	37	E		.29
VT-10	C	$\frac{5}{16}$ "-18 Tap	.30	38	E		.29
VT-15	C	$\frac{3}{8}$ "-16 Tap	.30	39	E		.29
VT-20	C	$\frac{7}{16}$ "-14 Tap	.35	40	E		.28
VT-25	C	$\frac{1}{2}$ "-13 Tap	.35	41	E		.28
VT-30	C	$\frac{1}{4}$ "-28 Tap	.35	42	E		.27
VT-35	C	$\frac{5}{16}$ "-24 Tap	.30	43	E		.26
VT-40	C	$\frac{3}{8}$ "-24 Tap	.30	44	E		.26
VT-45	C	$\frac{7}{16}$ "-20 Tap	.35	45	E		.26
VT-50	C	$\frac{1}{2}$ "-20 Tap	.35	46	E		.25
VT-55	C	$\frac{1}{8}$ " Pipe Tap	.45	47	E		.25
VT-49	B	Univ. Valve Lifter (Replaces VT-24)	2.25	48	E		.25
VT-50	C-1	Valve Guide Clnr. $\frac{5}{16}$ " to $\frac{3}{8}$ " Univ.	1.50	49	E		.25
VT-116	B	Hvy. Duty C Type Valve Lifter	10.00	50	E		.24
VT-126	B	Cadillac Attachment for VT-111	2.50	51	E		.24
WB-6A	A	$\frac{3}{4}$ "x6" Wire Brush with $\frac{1}{2}$ " Arbor	3.50	52	E		.24
WCB-2	C-1	#2 Coiled Wire Cng. Brush (General Utility)	1.50	53	E		.24
WCB-5	C-1	#5 Coiler Wire Cng. Brush (Single Head)	1.25	54	E		.24
WK-40	A	Set Special Bend Comb. Wr. only	6.05	55	E		.24
WK-40K	A	Kit for Above Set	.30	56	E		.24
WP-20	C	Wheel Puller	18.75	57	E		.24
X-11	A	Universal Joint Holder	.50	58	E		.24
X-81	C	Bearing Splitter	12.00	59	E		.24
<b>INDIVIDUAL PRICES HG-1-60 SET</b>				60	E		.24
HS Wire Ga. No.				<b>INDIVIDUAL PRICES HG-61-80 SET</b>			
1	E	.63		HS Wire Ga. No.			
2	E	.63		61	E	.35	
3	E	.60		62	E	.35	
4	E	.58		63	E	.35	
5	E	.58		64	E	.35	
6	E	.58		65	E	.35	
7	E	.54		66	E	.35	
8	E	.54		67	E	.35	
9	E	.54		68	E	.35	
10	E	.51		69	E	.35	
11	E	.51		70	E	.35	
12	E	.51		71	E	.42	
13	E	.48		72	E	.42	
14	E	.48		73	E	.42	
15	E	.48		74	E	.42	
16	E	.46		75	E	.42	
17	E	.46		76	E	.42	
18	E	.44		77	E	.42	
19	E	.43		78	E	.42	
20	E	.43		79	E	.42	
21	E	.43		80	E	.42	
22	E	.41		<b>INDIVIDUAL PRICES No. 59 SET</b>			
23	E	.40		Extractor No.			
24	E	.40		1	A	.55	
25	E	.38		2	A	.60	
26	E	.38		3	A	.65	
27	E	.38		4	A	.75	
28	E	.35		5	A	.85	
				6	A	1.00	
				<b>CARBON JOBBERS DRILLS</b>			
				$\frac{5}{16}$ "	E	.21	
				$\frac{3}{4}$ "	E	.22	
				$\frac{5}{8}$ "	E	.24	
				$\frac{3}{4}$ "	E	.41	
				$\frac{1}{2}$ "	E	.45	
				$\frac{1}{2}$ "	E	.89	
				<b>NOTE—No. 55 Set Includes</b>			
				<b>Extractors #1, 2, 3, 4, 5 and 6</b>			